

according to Regulation (EC) No. 1907/2006

Revision Date 26.05.2017

Version 17.0

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

REACH Registration Number 01-2119485285-30-XXXX

CAS-No. 7553-56-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

In compliance with the conditions described in the annex to this safety

data sheet.

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Acute toxicity, Category 4, Inhalation, H332

Acute toxicity, Category 4, Dermal, H312

Eye irritation, Category 2, H319

Skin irritation, Category 2, H315

Specific target organ toxicity - repeated exposure, Category 1, Oral, thyroid, H372

Specific target organ toxicity - single exposure, Category 3, Inhalation, Respiratory system, H335

Acute aquatic toxicity, Category 1, H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word

Danger

Hazard statements

H312 + H332 Harmful in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H372 Causes damage to organs (thyroid) through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

P314 Get medical advice/ attention if you feel unwell.

Reduced labelling (≤125 ml)

Hazard pictograms







Signal word

Danger

Hazard statements

H372 Causes damage to organs (thyroid) through prolonged or repeated exposure if swallowed.

Index-No. 053-001-00-3

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula I₂ (Hill)

Index-No. 053-001-00-3

EC-No. 231-442-4

Molar mass 253,8 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

lodine (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7553-56-2 01-2119485285-30-

XXXX Acute toxicity, Category 4, H332

Acute toxicity, Category 4, H312 Skin irritation, Category 2, H315

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Eye irritation, Category 2, H319

Specific target organ toxicity - single exposure, Category 3, H335 Specific target organ toxicity - repeated exposure, Category 1,

H372

Acute aquatic toxicity, Category 1, H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration.

Oxygen if necessary. Immediately call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, conjunctivitis, Asthma, bronchitis, Dermatitis, Skin disorders, Fever, bloody diarrhoea, collapse, rhinitis, metallic taste

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 I water).

SECTION 5. Firefighting measures

5.1 Extinguishing media

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

hydrogen iodide

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Derived No Effect Level (DNEL)

Worker DNEL, acute Systemic effects inhalation 1 mg/m³

Worker DNEL, longterm Systemic effects inhalation 0,07 mg/m³

Worker DNEL, acute Systemic effects dermal 0,01 mg/kg Body weight

Worker DNEL, longterm Systemic effects dermal 0,01 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

PNEC Fresh water 0,01813 mg/l

PNEC Marine water 0,06001 mg/l

PNEC Sewage treatment plant 11 mg/l

PNEC Fresh water sediment 3,99 mg/kg

PNEC Marine sediment 20,22 mg/kg

PNEC Soil 5,95 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter B-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Form solid

Colour dark violet

Odour stinging

Odour Threshold No information available.

pH 5,4

(saturated solution)

Melting point 114 °C

Boiling point/boiling range 185 °C

at 1.013 hPa

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure 0,41 hPa

at 25 °C

Relative vapour density 8,8

Density 4,93 g/cm3

at 20 °C

Relative density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Water solubility 0,3 g/l

at 20 °C

Partition coefficient: n- log Pow: 2,49 octanol/water (experimental)

, ,

Bioaccumulation is not expected. (Lit.)

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 2,27 mPa.s

at 116 °C

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density ca.2.100 kg/m3

Viscosity, kinematic 0,57 mm2/s

at 116 °C

liquid

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

sublimable

10.3 Possibility of hazardous reactions

Risk of explosion with:

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Reducing agents, Alkali metals, Acetylene, Ammonia, Potassium, copper compounds, sodium, oxyhalogenic compounds, Boron, halogen oxides, iodides, azides, ammonium compounds antimony, in powder form

mercury oxide, with, Methanol, and, ethanol

Risk of ignition or formation of inflammable gases or vapours with:

Powdered metals, Zinc, semimetals, halogen-halogen compounds, nonmetals, nonmetallic oxides, alkali salts, Iron, Fluorine, formaldehyde, hydrides, sodium phosphite, phosphorus, sulfur, Titanium, powdered aluminium, acetylidene, combustible substances, powdered magnesium, petrol, butadiene, CALCIUM HYDRIDE

Diethylether, with, Aluminium

Exothermic reaction with:

carbides, azides, turpentine oils and/or turpentine substitutes, alkali oxides, lithium silicide, alkaline earth compounds, nitrides, Acetaldehyde, Lithium, fluorides, Oxides of phosphorus, Chlorine

Iron, in powder form

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 14.000 mg/kg

(RTECS)

Symptoms: metallic taste, bloody diarrhoea, Circulatory collapse

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

absorption

Acute dermal toxicity

LD50 Rabbit: 1.425 mg/kg

US-EPA

absorption

Skin irritation

In vitro study

Result: non-corrosive

OECD Test Guideline 435

In vitro study

Result: Irritations

OECD Test Guideline 439

Causes skin irritation.

Possible damages: Dermatitis

Eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Sensitisation

In animal experiments: Mouse

Result: negative

Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vitro

Mutagenicity (mammal cell test):

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

UDS (Unscheduled DNA synthesis assay)

Result: negative

Method: OECD Test Guideline 482

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Exposure routes: Inhalation

Target Organs: Respiratory system

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Exposure routes: Ingestion
Target Organs: thyroid

Repeated dose toxicity

Rat

female

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Oral

100 d

daily

NOAEL: 3 mg/l LOAEL: 10 mg/l

OECD Test Guideline 408
Target Organs: thyroid
(as aqueous solution)

Rat

male and female

Oral

29 - 47 d

daily

NOAEL: 10 mg/kg

OECD Test Guideline 422

Aspiration hazard

This information is not available.

11.2 Further information

Systemic effects:

After uptake:

Fever

Chronic intoxication:

Skin disorders, rhinitis, conjunctivitis, bronchitis, Asthma

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 Oncorhynchus mykiss (rainbow trout): 1,67 mg/l; 96 h

(ECHA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 0,55 mg/l; 48 h

(ECHA)

Toxicity to algae

Growth inhibition ErC50 Desmodesmus subspicatus (green algae): 0,13 mg/l; 72 h

OECD Test Guideline 201

Toxicity to bacteria

EC50 activated sludge: 280 mg/l; 3 h

OECD Test Guideline 209

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 2,49 (experimental)

Bioaccumulation is not expected. (Lit.)

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3495

14.2 Proper shipping name IODINE

14.3 Class 8 (6.1)

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 3495

14.2 Proper shipping name IODINE

14.3 Class 8 (6.1)

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for no

user

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

14.1 UN number UN 3495

14.2 Proper shipping name IODINE

14.3 Class 8 (6.1)

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Observe work restrictions regarding maternity protection in

accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that

not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Substances of very high concern (SVHC) This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1 \%$ (w/w).

National legislation

Storage class 6.1 D

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H312 Harmful in contact with skin. H315

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H372 Causes damage to organs through prolonged or repeated

exposure if swallowed.

Causes skin irritation.

H400 Very toxic to aquatic life.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms







according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Signal word

Danger

Hazard statements

H312 + H332 Harmful in contact with skin or if inhaled

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H372 Causes damage to organs (thyroid) through prolonged or repeated exposure if swallowed.

H400 Very toxic to aquatic life.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Reagent for analysis)

Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial sites

SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC1	Use in closed process, no likelihood of exposure
PROC2	Use in closed, continuous process with occasional controlled exposure
PROC3	Use in closed batch process (synthesis or formulation)
PROC4	Use in batch and other process (synthesis) where opportunity for exposure arises
PROC5	Mixing or blending in batch processes for formulation of preparations and articles
	(multistage and/ or significant contact)
PROC8a	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large
	containers at non-dedicated facilities
PROC8b	Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large
	containers at dedicated facilities
PROC9	Transfer of substance or preparation into small containers (dedicated filling line, including
	weighing)
PROC15	Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2

Product characteristics

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Concentration of the Substance in

Limit the substance content in the mixture to 50 %.

Mixture/Article

Amount used

Annual amount per site 30 t

Daily amount per site 100 kg

Daily amount per site (Msafe) 100 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per year 300

Emission or Release Factor: Air 0,1 %

Emission or Release Factor: Water 0,3 %

Emission or Release Factor: Soil 0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant none

2.2 Contributing scenario controlling environmental exposure for: ERC6a

Amount used

Annual amount per site 200 t
Daily amount per site 667 kg

Daily amount per site (Msafe) 667 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per year 300

Emission or Release Factor: Air 0 %

Emission or Release Factor: Water 0,05 %

Emission or Release Factor: Soil 0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant none

2.3 Contributing scenario controlling worker exposure for: PROC1

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, low dustiness

Frequency and duration of use

Frequency of use 8 hours/day

Human factors not influenced by risk management

Skin Absorption 1 %

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Use suitable eye protection. Wear suitable coveralls to

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

prevent exposure to the skin.

2.4 Contributing scenario controlling worker exposure for: PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC15

Product characteristics

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, low dustiness

Frequency and duration of use

Frequency of use 8 hours/day

Human factors not influenced by risk management

Skin Absorption 1 %

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Use suitable eye protection. Wear suitable coveralls to

prevent exposure to the skin.

3. Exposure estimation and reference to its source

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2	100 kg/day	Fresh water	1	EUSES
2.2	ERC6a	667 kg/day	Fresh water	1	EUSES

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.3	PROC1	longterm, inhalative, systemic	0,14	ECETOC TRA, modified
		longterm, dermal, systemic	< 0,01	ECETOC TRA, modified
		longterm, combined, systemic	0,15	

according to Regulation (EC) No. 1907/2006

Catalogue No.		104761			
Product name		lodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur			
_					
2.4	PROC2	longterm, inhalative, systemic	0,01	ECETOC TRA, modified	
		longterm, dermal, systemic	0,03	ECETOC TRA, modified	
		longterm, combined, systemic	0,04		
2.4	PROC3	longterm, inhalative, systemic	0,14	ECETOC TRA, modified	
		longterm, dermal, systemic	0,01	ECETOC TRA, modified	
		longterm, combined, systemic	0,16		
2.4	PROC4	longterm, inhalative, systemic	0,71	ECETOC TRA, modified	
		longterm, dermal, systemic	0,14	ECETOC TRA, modified	
		longterm, combined, systemic	0,85		
2.4	PROC5	longterm, inhalative, systemic	0,71	ECETOC TRA, modified	
		longterm, dermal, systemic	0,27	ECETOC TRA, modified	
		longterm, combined, systemic	0,99		
2.4	PROC8a	longterm, inhalative, systemic	0,71	ECETOC TRA, modified	
		longterm, dermal, systemic	0,27	ECETOC TRA, modified	
		longterm, combined, systemic	0,99		
2.4	PROC8b	longterm, inhalative, systemic	0,07	ECETOC TRA, modified	
		longterm, dermal, systemic	0,14	ECETOC TRA, modified	
		longterm, combined, systemic	0,21		
2.4	PROC9	longterm, inhalative, systemic	0,14	ECETOC TRA, modified	
		longterm, dermal, systemic	0,14	ECETOC TRA, modified	
		longterm, combined, systemic	0,28		
2.4	PROC15	longterm, inhalative, systemic	0,14	ECETOC TRA, modified	
		longterm, dermal, systemic	< 0,01	ECETOC TRA, modified	
		longterm, combined, systemic	0,15		

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Reagent for analysis)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services,

craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2

Product characteristics

Concentration of the Substance in Limit the substance content in the mixture to 50 %.

Mixture/Article

Amount used

Annual amount per site 30 t

Daily amount per site 100 kg

Daily amount per site (Msafe) 100 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Number of emission days per year 300

Emission or Release Factor: Air 0,1 %

Emission or Release Factor: Water 0,3 %

Emission or Release Factor: Soil 0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant none

2.2 Contributing scenario controlling environmental exposure for: ERC6a

Amount used

Annual amount per site 200 t
Daily amount per site 667 kg

Daily amount per site (Msafe) 667 kg

Environment factors not influenced by risk management

Flow rate 18.000 m3/d

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per year 300

Emission or Release Factor: Air 0 %

Emission or Release Factor: Water 0,05 %

Emission or Release Factor: Soil 0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant none

2.3 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Concentration of the Substance in Covers the percentage of the substance in the product up to

Mixture/Article 100 %.

Physical Form (at time of use) Solid, low dustiness

Frequency and duration of use

Frequency of use 8 hours/day

Human factors not influenced by risk management

Skin Absorption 1 %

Other operational conditions affecting workers exposure

Outdoor / Indoor

Indoor without local exhaust ventilation (LEV)

Outdoor / Indoor

Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear chemically resistant gloves (tested to EN374) in combination with 'basic' employee training.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Use suitable eye protection. Wear suitable coveralls to

prevent exposure to the skin.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2	100 kg/day	Fresh water	1	EUSES
2.2	ERC6a	667 kg/day	Fresh water	1	EUSES

according to Regulation (EC) No. 1907/2006

Catalogue No. 104761

Product name Iodine sublimated for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.3	PROC15	longterm, inhalative, systemic	0,29	ECETOC TRA, modified
		longterm, dermal, systemic	0,01	ECETOC TRA, modified
		longterm, combined, systemic	0,30	

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.