

according to Regulation (EC) No. 1907/2006

Revision Date 19.07.2018

Version 9.4

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis

EMSURE® ACS,Reag. Ph Eur

REACH Registration Number 01-2119456624-35-XXXX

CAS-No. 10034-96-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

Please contact the regional company representation in your country.

number

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1, H318

Specific target organ toxicity - repeated exposure, Category 2, Inhalation, Brain, H373

Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

H373 May cause damage to organs (Brain) through prolonged or repeated exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P314 Get medical advice/ attention if you feel unwell.

Reduced labelling (≤125 ml)

Hazard pictograms







Signal word

Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Contains: Manganese sulphate monohydrate

Index-No. 025-003-00-4

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $MnSO_4 * H_2O$ $MnO_4S * H_2O$ (Hill)

Index-No. 025-003-00-4

EC-No. 232-089-9

Molar mass 169,02 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Manganese sulphate monohydrate (<= 100 %)

10034-96-5 01-2119456624-35-

XXXX Serious eye damage, Category 1, H318

Specific target organ toxicity - repeated exposure, Category 2,

H373

Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS, Reag. Ph Eur

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

gastric pain, Diarrhoea, Nausea, Vomiting

Irritation and corrosion

Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS, Reag. Ph Eur

Fire may cause evolution of:

Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS, Reag. Ph Eur

Glove thickness:

0,11 mm

Break through time:

> 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Form solid

Colour pink

Odour odourless

Odour Threshold Not applicable

pH 3,0 - 3,5

at 50 g/l 20 °C

Melting point > 449 °C

Method: OECD Test Guideline 102

Boiling point/boiling range Not applicable

Flash point does not flash

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Density 2,95 g/cm3

at 20 °C

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS, Reag. Ph Eur

Relative density No information available.

Water solubility 762 g/l

at 20 °C

Partition coefficient: n-

octanol/water Not applicable for inorganic substances

Auto-ignition temperature No information available.

Decomposition temperature 400 - 450 °C

Elimination of water of crystallisation

850 °C

(anhydrous substance)

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature Not applicable

Bulk density 300 - 1.200 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

releases water of crystallisation when heated.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

10.3 Possibility of hazardous reactions

Violent reactions possible with:

acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 2.150 mg/kg

(anhydrous substance) (ECHA)

Symptoms: After uptake of large quantities:, Nausea, Vomiting, Diarrhoea, gastric pain, Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

LC50 Rat: > 4,45 mg/l; 4 h; dust/mist

OECD Test Guideline 403 (anhydrous substance)

Symptoms: Possible damages:, mucosal irritations, tissue damage, Pneumonia

Acute dermal toxicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Skin irritation

Rabbit

Result: No skin irritation
OECD Test Guideline 404

(anhydrous substance)

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

(anhydrous substance)

Causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(National Toxicology Program)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS, Reag. Ph Eur

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Exposure routes: Inhalation

Target Organs: Brain

Aspiration hazard

This information is not available.

11.2 Further information

Manganese compounds are generally only very slightly absorbable via the gastrointestinal tract.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to algae

static test NOEC Desmodesmus subspicatus (green algae): 1 mg/l; 72 h

Analytical monitoring: yes OECD Test Guideline 201

static test ErC50 Desmodesmus subspicatus (green algae): 61 mg/l; 72 h

Analytical monitoring: yes OECD Test Guideline 201

Toxicity to bacteria

static test NOEC activated sludge: 560 mg/l; 3 h

OECD Test Guideline 209

static test EC50 activated sludge: > 1.000 mg/l; 3 h

OECD Test Guideline 209

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Partition coefficient: n-octanol/water

Not applicable for inorganic substances

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (MANGANESE(II)-SULPHATE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

Tunnel restriction code -

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Inland waterway transport (ADN)

Not relevant

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Air transport (IATA)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (MANGANESE(II)-SULPHATE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for no

user

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Sea transport (IMDG)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (MANGANESE(II)-SULPHATE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

EmS F-A S-F

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

Major Accident Hazard

SEVESO III

Legislation

ENVIRONMENTAL HAZARDS

E2

Quantity 1: 200 t Quantity 2: 500 t

Occupational restrictions

Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that

not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European

not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated

exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms







Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

H373 May cause damage to organs (Brain) through prolonged or repeated exposure if inhaled.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

according to Regulation (EC) No. 1907/2006

Catalogue No. 105941

Product name Manganese(II) sulfate monohydrate spray-dried for analysis EMSURE®

ACS,Reag. Ph Eur

P314 Get medical advice/ attention if you feel unwell.

Contains: Manganese sulphate monohydrate

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.