

according to Regulation (EC) No. 1907/2006

Revision Date 05.11.2010 Version 4.2

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merck-chemicals.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302 Skin corrosion, Category 1B, H314 Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification (67/548/EEC or 1999/45/EC)

Xn; R22 C; R34 N; R50/53

For the full text of the R-phrases mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms







Signal word
Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms







Signal word Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P309 + P310 IF exposed or if you feel unwell: Immediately call a POISON CENTER or doctor/physician.

CAS-No. 7789-45-9

Labelling (67/548/EEC or 1999/45/EC)

Symbol(s) C Corrosive

N Dangerous for the environment

R-phrase(s) 22-34-50/53 Harmful if swallowed. Causes burns. Very toxic to aquatic

organisms, may cause long-term adverse effects in the

aquatic environment.

S-phrase(s) 26-36/37/39-45-61 In case of contact with eyes, rinse immediately with plenty of

water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Avoid release to the environment.

Refer to special instructions/ Safety data sheets.

EC-No. 232-167-2

Reduced labelling (≤125 ml)

Symbol(s) C Corrosive

N Dangerous for the environment R-phrase(s) 22-34 Harmful if swallowed. Causes burns.

S-phrase(s) 26-36/37/39-45 In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. In case of accident or if you feel unwell, seek

medical advice immediately (show the label where possible).

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

2.3 Other hazards

None known.

3. Composition/information on ingredients

Formula CuBr₂ Br₂Cu (Hill)

CAS-No. 7789-45-9 EC-No. 232-167-2 Molar mass 223,35 g/mol

4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Swab with polyethylene glycol 400. Immediately remove contaminated clothing. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, irritant effects, Cough, Shortness of breath Risk of blindness!

4.3 Indication of immediate medical attention and special treatment needed

No information available.

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

hydrogen bromide

5.3 Advice for firefighters

Special protective equipment for fire-fighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Avoid inhalation of dusts. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7.2 and 10.5).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

7. Handling and storage

7.1 Precautions for safe handling

Observe label precautions.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry.

Store at +15°C to +25°C.

7.3 Specific end uses

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Eye/face protection

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment:

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form crystals, deliquescent

Colour black

Odour weak characteristic odour

Odour Threshold No information available.

pH No information available.

Melting point 498 °C

Boiling point/boiling range 900 °C

at 1.013 hPa

Flash point not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit not applicable

Upper explosion limit not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Relative density 4,71 g/cm³

at 20 °C

Water solubility ca.1.200 g/l

at 25 °C

Partition coefficient: n-

octanol/water

No information available.

Autoignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties No information available.

Oxidizing properties No information available.

9.2 Other data

Bulk density ca.2.000 kg/m³

10. Stability and reactivity

10.1 Reactivity

has a corrosive effect

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Alkali metals

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See chapter 5.

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 rat

Dose: 536 mg/kg (External MSDS)

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation

of the oesophagus and the stomach.

absorption

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of

respiratory tract

Skin irritation

rabbit

Result: Causes burns.

(External MSDS)

Causes burns.

Eye irritation

Risk of serious damage to eyes.

Risk of blindness!

Sensitisation

Sensitisation test: guinea pig

Result: negative

Method: OECD Test Guideline 406

Genotoxicity in vitro

Ames test

Result: negative (External MSDS)

Specific target organ toxicity - single exposure

The substance or mixture is not classified as specific target organ toxicant, single exposure.

Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration hazard

No aspiration toxicity classification

11.2 Further information

Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

12. Ecological information

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

We have no quantitative data concerning the ecological effects of this product.

Further information on ecology

Do not allow to run into surface waters, wastewater, or soil.

13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

14. Transport information

ADR/RID

UN 1759 CORROSIVE SOLID, N.O.S. (COPPER(II)-BROMIDE), 8, III

IATA

UN 1759 CORROSIVE SOLID, N.O.S. (COPPER(II)-BROMIDE), 8, III

IMDG

UN 1759 CORROSIVE SOLID, N.O.S. (COPPER(II)-BROMIDE), 8, III

EmS F-A S-B

The transport regulations are cited according to international regulations and in the form applicable in Germany. Possible national deviations in other countries are not considered.

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard 96/82/EC

Legislation Dangerous for the environment

9a

Quantity 1: 100 t Quantity 2: 200 t

Occupational restrictions

Take note of Dir 94/33/EC on the protection of young people at

work. Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

National legislation

Storage class VCI 8 B Non combustible, corrosive substances

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out.

according to Regulation (EC) No. 1907/2006

Catalogue No. 814658

Product name Copper(II) bromide for synthesis

16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Full text of R-phrases referred to under sections 2 and 3

R22 Harmful if swallowed. R34 Causes burns.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse

effects in the aquatic environment.

Training advice

Provide adequate information, instruction and training for operators.

Regional representation: This information is given on the authorised Safety Data Sheet for

your country.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.