

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 9.4

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

REACH Registration Number 01-2119555273-40-XXXX

CAS-No. 7789-23-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

### 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

.

Please contact the regional company representation in your country.

#### **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 3, Inhalation, H331

Acute toxicity, Category 3, Dermal, H311

Acute toxicity, Category 3, Oral, H301

For the full text of the H-Statements mentioned in this Section, see Section 16.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



Signal word

Danger

Hazard statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

## Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing.

Response

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

## Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

Precautionary statements

P280 Wear protective gloves/ protective clothing.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

*Index-No.* 009-005-00-2

#### 2.3 Other hazards

None known.

### **SECTION 3. Composition/information on ingredients**

#### 3.1 Substance

Formula KF FK (Hill)

Index-No. 009-005-00-2

EC-No. 232-151-5 Molar mass 58,1 g/mol

## Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

potassium fluoride (<= 100 %)

7789-23-3 01-2119555273-40-

XXXX Acute toxicity, Category 3, H301

Acute toxicity, Category 3, H331 Acute toxicity, Category 3, H311

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

#### **SECTION 4. First aid measures**

## 4.1 Description of first aid measures

General advice

Countermeasurements must be implemented at once. First aider needs to protect himself.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen. Keep respiratory tract clear.

After contact with skin: Rinse with plenty of water for at least 10 minutes. Immediately remove contaminated clothes. Apply calcium gluconate gel (preparation: boil 5 g of calcium gluconate in 85 ml of hot distilled water, add 10 g glycerol. Allow 5 g of Carmellose-sodium to swell in the hot solution. Stable for 6 months, store in a cool place) and massage into the skin until the pain subsides, in between rinse with water and apply fresh gel. Continue gel therapy for another 15 minutes after the pain has subsided. If no calcium gluconate gel is available, apply several dressings thoroughly moistened with 20 % calcium gluconate solution. Medical advice absolutely required!

After contact with eyes: Rinse with plenty of water keeping eyelids open, protecting the unaffected eye (at least 10 minutes). Seek medical advice immediately!

After swallowing: Immediately give to drink plenty of water, add calcium (in the form of calcium gluconate or calcium lactate). Caution: In the case of vomiting risk of perforation! Administer more calcium gluconate solution. Laxative: Sodium sulfate (1 tablespoon/1/4 I water). Seek medical advice immediately. Ensure that injured persons remain calm and protect them against heat loss.

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, respiratory arrest, Unconsciousness, Convulsions, shock Risk of corneal clouding.

The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

## 4.3 Indication of any immediate medical attention and special treatment needed

Note for the doctor: It is recommended to consult a doctor with experience in the treatment of lesions caused by hydrofluoric acid.

## **SECTION 5. Firefighting measures**

5.1 Extinguishing media

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Hydrogen fluoride

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Suppress (knock down) gases/vapours/mists with a water spray jet.

#### **SECTION 6. Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

## 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

#### **SECTION 7. Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Dry. Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **SECTION 8. Exposure controls/personal protection**

#### 8.1 Control parameters

# 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter B-(P3)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be

# according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

properly documented.

#### Environmental exposure controls

Do not let product enter drains.

#### **SECTION 9. Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form solid

Colour white

to

colourless

Odour odourless

Odour Threshold Not applicable

pH 8-9

at 50 g/l 20 °C

Melting point 846 °C

Boiling point/boiling range 1.505 °C

at 1.013 hPa

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

# according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

Upper explosion limit Not applicable

Vapour pressure 1,3 hPa

at 885 °C

Relative vapour density No information available.

Density 2,48 g/cm3

at 20 °C

Relative density No information available.

Water solubility 923 g/l

at 20 °C

Partition coefficient: n- log Pow: -0,77

octanol/water (calculated)

(Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature not combustible

Bulk density ca.400 kg/m3

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

## **SECTION 10. Stability and reactivity**

### 10.1 Reactivity

See section 10.3

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

### 10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with:

Strong oxidizing agents, acids

#### 10.4 Conditions to avoid

Strong heating (decomposition).

Protect from moisture.

### 10.5 Incompatible materials

no information available

# 10.6 Hazardous decomposition products

in the event of fire: See section 5.

### **SECTION 11. Toxicological information**

# 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 245 mg/kg

(IUCLID)

Symptoms: tissue damage

absorption

Acute inhalation toxicity

absorption

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

Acute toxicity estimate: 0,6 mg/l; dust/mist

Expert judgement

Acute dermal toxicity

absorption

Acute toxicity estimate: 300,1 mg/kg

Expert judgement

Skin irritation

This information is not available.

Eye irritation

Risk of corneal clouding.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

Mutagenicity (mammal cell test):

Result: positive

(National Toxicology Program)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

Aspiration hazard

This information is not available.

#### 11.2 Further information

After absorption:

Convulsions, Unconsciousness, Cardiac irregularities, respiratory arrest, shock

After long-term exposure to the chemical:

Damage to:

Bone marrow

The following applies to soluble inorganic fluorides in general: may cause irritations to burns in contact with eyes, skin, mucous membranes. Systemic effect: drop in blood calcium level, agitation, spasms, cardiovascular disorders, CNS disorders.

This substance should be handled with particular care.

## **SECTION 12. Ecological information**

#### 12.1 Toxicity

Toxicity to fish

LC50 fish: > 2,3 mg/l

(Hommel)

Toxicity to daphnia and other aquatic invertebrates

EC5 E.sulcatum: 101 mg/l

(Hommel)

#### 12.2 Persistence and degradability

No information available.

#### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -0,77 (calculated)

(Lit.) Bioaccumulation is not expected.

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

#### 12.6 Other adverse effects

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

Additional ecological information

Harmful effect due to pH shift.

Forms toxic and corrosive mixtures with water even if diluted.

Discharge into the environment must be avoided.

### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 UN number** UN 1812

14.2 Proper shipping name POTASSIUM FLUORIDE, SOLID

**14.3 Class** 6.1

14.4 Packing group

14.5 Environmentally hazardous --

**14.6 Special precautions for** yes

user

Tunnel restriction code E

#### Inland waterway transport (ADN)

Not relevant

## Air transport (IATA)

**14.1 UN number** UN 1812

14.2 Proper shipping name POTASSIUM FLUORIDE, SOLID

**14.3 Class** 6.1

14.4 Packing group

14.5 Environmentally hazardous --

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

14.6 Special precautions for

no

user

Sea transport (IMDG)

**14.1 UN number** UN 1812

14.2 Proper shipping name POTASSIUM FLUORIDE, SOLID

**14.3 Class** 6.1

14.4 Packing group

14.5 Environmentally hazardous --

**14.6 Special precautions for** yes

user

EmS F-A S-A

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## **SECTION 15. Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation ACUTE TOXIC

H2

Quantity 1: 50 t Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

Regulation (EC) No 850/2004 of the European

not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq$  0.1 % (w/w).

National legislation

Storage class 6.1 D

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16. Other information**

## Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

#### Training advice

Provide adequate information, instruction and training for operators.

#### Labelling

Hazard pictograms



Signal word

Danger

## according to Regulation (EC) No. 1907/2006

Catalogue No. 104994

Product name Potassium fluoride for analysis EMSURE® ACS

#### Hazard statements

H301 + H311 + H331 Toxic if swallowed, in contact with skin or if inhaled.

#### Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

#### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.