

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 12.03.2019

Version 10.13

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	102952
Product name	Dimethyl sulfoxide for analysis EMSURE® ACS
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	67-68-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis, Chemical production For additional information on uses please refer to the Merck Chemicals portal (www.merckgroup.com).
-----------------	--

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number **Please contact the regional company representation in your country.****SECTION 2. Hazards identification****2.1 Classification of the substance or mixture****REGULATION (EC) No 1272/2008**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

2.3 Other hazards

None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	(CH ₃) ₂ SO	C ₂ H ₆ OS (Hill)
EC-No.	200-664-3	
Molar mass	78,13 g/mol	

Remarks No disclosure requirement according to Regulation (EC) No. 1907/2006.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

Subsequently administer: activated charcoal (20 - 40 g in 10% slurry).

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Headache, Nausea, Tiredness, CNS disorders

4.3 Indication of any immediate medical attention and special treatment needed

Laxative: Sodium sulfate (1 tablespoon/1/4 l water).

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam, Carbon dioxide (CO₂), Dry powder, Water

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

Fire may cause evolution of:
Sulphur oxides

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

102952
Dimethyl sulfoxide for analysis EMSURE® ACS

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	polychloroprene
Glove thickness:	0,65 mm
Break through time:	> 480 min

splash contact:

Glove material:	natural latex
Glove thickness:	0,6 mm
Break through time:	> 240 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 720 Camapren® (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

protective devices are carried out according to the instructions of the producer.
These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	characteristic
Odour Threshold	No information available.
pH	No information available.
Melting point	18,5 °C
Boiling point/boiling range	189 °C at 1.013 hPa
Flash point	87 °C Method: c.c.
Evaporation rate	No information available.
Flammability (solid, gas)	The product is not flammable.
Lower explosion limit	1,8 %(V)
Upper explosion limit	63,0 %(V)
Vapour pressure	0,6 hPa at 20 °C
Relative vapour density	2,7
Density	1,10 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	1.000 g/l at 20 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

Partition coefficient: n-octanol/water log Pow: -1,35
(experimental)
(Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature > 190 °C

Viscosity, dynamic 2,14 mPa.s
at 20 °C

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature 300 - 302 °C

Saturated vapour concentration 8,0 g/m³
at 20 °C

Viscosity, kinematic 2,14 mm²/s

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

hygroscopic

10.3 Possibility of hazardous reactions

Risk of explosion with:

acetylidene, organic halides, perchlorates, Acid chlorides, nonmetallic halides, iron(III) compounds, nitrates, fluorides, chlorates, hydrides, perchloric acid, Oxides of phosphorus, Nitric acid, silver compounds, silicon compounds, silanes, acid halides

Exothermic reaction with:

boron compounds, oxyhalogenic compounds, Potassium, sodium, Strong oxidizing agents, phosphorus halides, strong reducing agents, Acid chlorides, Strong acids, silver salt, nitrogen dioxide

Risk of ignition or formation of inflammable gases or vapours with:

potassium permanganate

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

various plastics, Metals

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

102952
Dimethyl sulfoxide for analysis EMSURE® ACS

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 28.300 mg/kg
OECD Test Guideline 401

Acute inhalation toxicity

LC0 Rat: > 5,33 mg/l; 4 h ; dust/mist
OECD Test Guideline 403

Acute dermal toxicity

LD50 Rat: 40.000 mg/kg
(RTECS)

Skin irritation

Rabbit
Result: slight irritation
OECD Test Guideline 404

Possible damages: slight irritation

Eye irritation

Rabbit
Result: slight irritation
OECD Test Guideline 405

Possible damages: slight irritation

Sensitisation

Maximisation Test Guinea pig
Result: negative
Method: OECD Test Guideline 406

In animal experiments: Mouse

Result: negative
Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vivo

Mutagenicity (in vivo mammalian bone-marrow cytogenetic test, chromosomal analysis)

Rat
male and female

i.p.

Result: negative
Method: OECD Test Guideline 474

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test):

Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 479

Mutagenicity (mammal cell test): chromosome aberration.

Result: negative

Method: OECD Test Guideline 473

Carcinogenicity

No indication of carcinogenic activity. (IUCLID)

Reproductive toxicity

This information is not available.

Teratogenicity

Did not show teratogenic effects in animal experiments.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Possible symptoms:

After uptake:

CNS disorders, Nausea, Tiredness, Headache

Damage to:

Liver, Kidney

However, when the product is handled appropriately, hazardous effects are unlikely to occur.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 Danio rerio (zebra fish): > 25.000 mg/l; 96 h

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 24.600 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

Toxicity to algae

static test EC50 *Pseudokirchneriella subcapitata* (green algae): 17.000 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

Toxicity to bacteria

EC10 *Pseudomonas putida*: 7.100 mg/l; 16 h
(IUCLID)

EC50 activated sludge: 10 - 100 mg/l; 30 min
(IUCLID)

12.2 Persistence and degradability

Biodegradability

31 %; 28 d; aerobic

OECD Test Guideline 301D

Not readily biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -1,35

(experimental)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102952
Product name Dimethyl sulfoxide for analysis EMSURE® ACS

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code
Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Signal word
Warning

Hazard statements

H227 Combustible liquid.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.
Product name

102952
Dimethyl sulfoxide for analysis EMSURE® ACS

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.