

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 27.05.2019

Version 13.5

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®
REACH Registration Number	01-2119463273-41-XXXX
CAS-No.	110-82-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis, Chemical production In compliance with the conditions described in the annex to this safety data sheet.
-----------------	--

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number **Please contact the regional company representation in your country.****SECTION 2. Hazards identification****2.1 Classification of the substance or mixture**
Classification (REGULATION (EC) No 1272/2008)

Flammable liquid, Category 2, H225
Skin irritation, Category 2, H315
Specific target organ toxicity - single exposure, Category 3, Central nervous system, H336
Aspiration hazard, Category 1, H304
Short-term (acute) aquatic hazard, Category 1, H400
Long-term (chronic) aquatic hazard, Category 1, H410
For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240 Ground/bond container and receiving equipment.
P273 Avoid release to the environment.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Reduced labelling (≤ 125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H304 May be fatal if swallowed and enters airways.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Index-No. 601-017-00-1

2.3 Other hazards

None known.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula C₆H₁₂ (Hill)
Index-No. 601-017-00-1
EC-No. 203-806-2
Molar mass 84,16 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

Cyclohexane (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

110-82-7	01-2119463273-41-XXXX	Flammable liquid, Category 2, H225 Skin irritation, Category 2, H315 Specific target organ toxicity - single exposure, Category 3, H336 Aspiration hazard, Category 1, H304 Short-term (acute) aquatic hazard, Category 1, H400 Long-term (chronic) aquatic hazard, Category 1, H410
----------	-----------------------	---

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. Call in physician.

After skin contact: wash off with plenty of water. Remove contaminated clothing.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water with the eyelid held wide open. Call in ophthalmologist if necessary. Remove contact lenses.

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed Caution Aspiration hazard Keep respiratory tract clear. Call a physician immediately. In case of spontaneous vomiting: Risk of aspiration. Pulmonary failure possible. Call in physician.

4.2 Most important symptoms and effects, both acute and delayed

irritant effects, Cough, Nausea, Vomiting, Dizziness, Drowsiness, Stomach/intestinal disorders, gastric pain, respiratory paralysis, somnolence, Unconsciousness, collapse

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO₂), Foam, Dry powder

Water, Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Cool closed containers exposed to fire with water spray. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Observe label precautions.

Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

Derived No Effect Level (DNEL)

Worker DNEL, acute	Local effects	inhalation	700 mg/m ³
Worker DNEL, acute	Systemic effects	inhalation	700 mg/m ³
Worker DNEL, longterm	Systemic effects	inhalation	700 mg/m ³
Worker DNEL, longterm	Systemic effects	dermal	2016 mg/kg Body weight
Worker DNEL, longterm	Local effects	inhalation	700 mg/m ³
Consumer DNEL, acute	Local effects	inhalation	412 mg/m ³
Consumer DNEL, acute	Systemic effects	inhalation	412 mg/m ³
Consumer DNEL, longterm	Local effects	inhalation	206 mg/m ³
Consumer DNEL, longterm	Systemic effects	inhalation	206 mg/m ³
Consumer DNEL, longterm	Systemic effects	dermal	1186 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	oral	59,4 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

PNEC Fresh water	0,207 mg/l
PNEC Fresh water sediment	3,627 mg/kg
PNEC Marine water	0,207 mg/l
PNEC Aquatic intermittent release	0,207 mg/l
PNEC Sewage treatment plant	3,24 mg/l
PNEC Soil	2,99 mg/kg

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,40 mm

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

Break through time: > 480 min
splash contact:
Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 30 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 730 Camatril® - Velours (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

Flame retardant antistatic protective clothing.

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	sweet
Odour Threshold	0,5 ppm
pH	Not applicable
Melting point	6,5 °C
Boiling point/boiling range	81 °C at 1.013 hPa

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

Flash point	-18 °C Method: DIN 51755 Part 1
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1,2 %(V)
Upper explosion limit	8,3 %(V)
Vapour pressure	124 hPa at 24 °C
Relative vapour density	2,9
Density	0,78 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	0,05 g/l at 20 °C
Partition coefficient: n-octanol/water	log Pow: 3,44 (25 °C) (experimental) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	0,98 mPa.s at 20 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	none

9.2 Other data

Ignition temperature	260 °C
Viscosity, kinematic	1,26 mm ² /s at 20 °C

SECTION 10. Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

nitrogen dioxide

Risk of ignition or formation of inflammable gases or vapours with:

Strong oxidizing agents

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

rubber, various plastics

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 5.000 mg/kg

OECD Test Guideline 401

Symptoms: gastric pain, Stomach/intestinal disorders

Acute inhalation toxicity

LC50 Rat: > 33,88 mg/l; 4 h ; vapour

OECD Test Guideline 403

Symptoms: Possible damages:, Irritation symptoms in the respiratory tract., Inhalation may lead to the formation of oedemas in the respiratory tract.

Acute dermal toxicity

LD50 Rabbit: > 2.000 mg/kg

OECD Test Guideline 402

Skin irritation

Causes skin irritation.

Eye irritation

Rabbit

Result: No eye irritation

OECD Test Guideline 405

Sensitisation

Buehler Test Guinea pig

Result: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

Germ cell mutagenicity
Genotoxicity in vivo
Chromosome aberration test
Rat
male and female
inhalation (vapour)
Bone marrow
Result: negative
Method: OECD Test Guideline 475

Genotoxicity in vitro
Ames test
Salmonella typhimurium
Result: negative

(National Toxicology Program)
In vitro mammalian cell gene mutation test
Mouse lymphoma test
Result: negative

(ECHA)
Carcinogenicity
This information is not available.

Reproductive toxicity
This information is not available.

Teratogenicity
Application Route: Inhalation
Rat
Method: OECD Test Guideline 414

Application Route: Inhalation
Rabbit
Method: OECD Test Guideline 414

Specific target organ toxicity - single exposure
May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure
This information is not available.

Aspiration hazard
Aspiration hazard, Aspiration may cause pulmonary oedema and pneumonitis.

11.2 Further information

After uptake of large quantities:
Cough, Nausea, Vomiting, Dizziness, respiratory paralysis, Unconsciousness, collapse
Damage to:
Lungs

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

Other dangerous properties can not be excluded.
Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

flow-through test LC50 Pimephales promelas (fathead minnow): 4,53 mg/l; 96 h

Analytical monitoring: yes

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test EC50 Daphnia magna (Water flea): 0,9 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

Toxicity to algae

EC50 Pseudokirchneriella subcapitata (green algae): 3,4 mg/l; 72 h

Analytical monitoring: yes

OECD Test Guideline 201

Toxicity to bacteria

IC50 Bacteria: 29 mg/l; 15 h

(ECHA)

12.2 Persistence and degradability

Biodegradability

77 %; 28 d; aerobic

OECD Test Guideline 301F

Readily biodegradable

Theoretical oxygen demand (ThOD)

3.425 mg/g

(IUCLID)

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 3,44 (25 °C)

(experimental)

Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC)

No 1907/2006, Annex XIII.

12.6 Other adverse effects

Henry constant

19600 Pa*m³/mol

(IUCLID) Distribution preferentially in air.

Additional ecological information

Biological effects:

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

Endangers drinking-water supplies if allowed to enter soil and/or waters in large quantities.

Change in the flavour characteristics of fish protein.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number	UN 1145
14.2 Proper shipping name	CYCLOHEXANE
14.3 Class	3
14.4 Packing group	II
14.5 Environmentally hazardous	yes
14.6 Special precautions for user	yes
Tunnel restriction code	D/E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number	UN 1145
14.2 Proper shipping name	CYCLOHEXANE
14.3 Class	3
14.4 Packing group	II
14.5 Environmentally hazardous	yes
14.6 Special precautions for user	no

Sea transport (IMDG)

14.1 UN number	UN 1145
14.2 Proper shipping name	CYCLOHEXANE
14.3 Class	3
14.4 Packing group	II
14.5 Environmentally hazardous	yes

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

14.6 Special precautions for user yes

EmS F-E S-D

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard Legislation SEVESO III
FLAMMABLE LIQUIDS

P5c

Quantity 1: 5.000 t

Quantity 2: 50.000 t

SEVESO III
ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t

Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).

National legislation

Storage class 3

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H336 May cause drowsiness or dizziness.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P240 Ground/bond container and receiving equipment.
P273 Avoid release to the environment.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P313 Get medical advice/ attention.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Reagent for analysis, Chemical production)

Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial sites
SU9 Manufacture of fine chemicals
SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC19 Intermediate
PC21 Laboratory chemicals

Process categories

PROC1 Use in closed process, no likelihood of exposure
PROC2 Use in closed, continuous process with occasional controlled exposure
PROC3 Use in closed batch process (synthesis or formulation)
PROC4 Use in batch and other process (synthesis) where opportunity for exposure arises
PROC5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)
PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
PROC8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities
PROC9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
PROC10 Roller application or brushing
PROC15 Use as laboratory reagent

Environmental Release Categories

ERC1 Manufacture of substances
ERC2 Formulation of preparations
ERC4 Industrial use of processing aids in processes and products, not becoming part of articles
ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC1, ERC4, SpERC ESVOC 2

Environment factors not influenced by risk management

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per 300

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

year
Emission or Release Factor: 0,2 %
Air
Emission or Release Factor: 0,03 %
Water
Emission or Release Factor: 0,1 %
Soil

Technical conditions and measures / Organizational measures

Air Use of air emission abatement equipments.
Effectiveness (of a measure): 90 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Municipal sewage treatment plant
Plant
Effectiveness (of a measure) 96,6 %
Sludge Treatment Sewage sludge should not be applied to natural soils.

2.2 Contributing scenario controlling environmental exposure for: ERC2, SpERC ESVOC 4

Amount used

Annual amount per site 1.714 kg
(Msafe)

Environment factors not influenced by risk management

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per 300
year
Emission or Release Factor: 2,5 %
Air
Emission or Release Factor: 0,02 %
Water
Emission or Release Factor: 0,01 %
Soil

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Municipal sewage treatment plant
Plant
Effectiveness (of a measure) 96,6 %
Sludge Treatment Sewage sludge should not be applied to natural soils.

2.3 Contributing scenario controlling environmental exposure for: ERC6a, SpERC ESVOC 43

Environment factors not influenced by risk management

Dilution Factor (River) 10

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

Dilution Factor (Coastal Areas)	100
---------------------------------	-----

Other given operational conditions affecting environmental exposure

Number of emission days per year	300
Emission or Release Factor: Air	0,2 %
Emission or Release Factor: Water	0,03 %
Emission or Release Factor: Soil	0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant	Municipal sewage treatment plant
Effectiveness (of a measure)	96,6 %
Sludge Treatment	Sewage sludge should not be applied to natural soils.

2.4 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8b, PROC15

Product characteristics

Concentration of the Substance in Mixture/Article	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	High volatile liquid

Frequency and duration of use

Frequency of use	8 hours/day
------------------	-------------

Other operational conditions affecting workers exposure

Outdoor / Indoor	Indoor without local exhaust ventilation (LEV)
------------------	--

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice	Wear suitable gloves tested to EN374.
---------------------------------	---------------------------------------

2.5 Contributing scenario controlling worker exposure for: PROC5, PROC8a, PROC9, PROC10

Product characteristics

Concentration of the Substance in Mixture/Article	Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use)	High volatile liquid

Frequency and duration of use

Frequency of use	8 hours/day
------------------	-------------

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC1, ERC4		All compartments	< 1	EUSES
2.2	ERC2	1714 kg/day	All compartments	< 1	EUSES
2.3	ERC6a		All compartments	< 1	EUSES

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.4	PROC1	longterm, combined, systemic	< 1	ECETOC TRA
2.4	PROC2	longterm, combined, systemic	< 1	ECETOC TRA
2.4	PROC3	longterm, combined, systemic	< 1	ECETOC TRA
2.4	PROC4	longterm, combined, systemic	< 1	ECETOC TRA
2.4	PROC8b	longterm, combined, systemic	< 1	ECETOC TRA
2.4	PROC15	longterm, combined, systemic	< 1	ECETOC TRA
2.5	PROC5	longterm, combined, systemic	< 1	ECETOC TRA
2.5	PROC8a	longterm, combined, systemic	< 1	ECETOC TRA
2.5	PROC9	longterm, combined, systemic	< 1	ECETOC TRA
2.5	PROC10	longterm, combined, systemic	< 1	ECETOC TRA

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	102832
Product name	Cyclohexane EMPLURA®

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Reagent for analysis, Chemical production)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of intermediates)

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2, SpERC ESVOC 4

Amount used

Annual amount per site 1.714 kg
(Msafe)

Environment factors not influenced by risk management

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per year 300
Emission or Release Factor: Air 2,5 %
Emission or Release Factor: Water 0,02 %
Emission or Release Factor: Soil 0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant
Effectiveness (of a measure) 96,6 %
Sludge Treatment Sewage sludge should not be applied to natural soils.

2.2 Contributing scenario controlling environmental exposure for: ERC6a, SpERC ESVOC 43

Environment factors not influenced by risk management

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

Dilution Factor (River) 10
Dilution Factor (Coastal Areas) 100

Other given operational conditions affecting environmental exposure

Number of emission days per year 300
Emission or Release Factor: Air 0,2 %
Emission or Release Factor: Water 0,03 %
Emission or Release Factor: Soil 0,01 %

Conditions and measures related to municipal sewage treatment plant

Type of Sewage Treatment Plant Municipal sewage treatment plant
Effectiveness (of a measure) 96,6 %
Sludge Treatment Sewage sludge should not be applied to natural soils.

2.3 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Mixture/Article Covers the percentage of the substance in the product up to 100 % (unless stated differently).
Physical Form (at time of use) High volatile liquid

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor without local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Additional good practice advice beyond the REACH Chemical Safety Assessment

Additional good practice advice Wear suitable gloves tested to EN374.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1	ERC2	1714 kg/day	All compartments	< 1	EUSES
2.2	ERC6a		All compartments	< 1	EUSES

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 102832
Product name Cyclohexane EMPLURA®

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.3	PROC15	longterm, combined, systemic	< 1	ECETOC TRA

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.