SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.0 Revision Date 02.01.2017

Print Date 03.07.2019

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Ethylene oxide

Product Number : 387614 Brand : Aldrich

Index-No. : 603-023-00-X

REACH No. : 01-2119432402-53-XXXX

CAS-No. : 75-21-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

1.4 Emergency telephone number

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable gases (Category 1), H220

Gases under pressure (Liquefied gas), H280

Carcinogenicity (Category 1B), H350

Germ cell mutagenicity (Category 1B), H340 Acute toxicity, Inhalation (Category 3), H331

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), H335

Skin irritation (Category 2), H315

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

Aldrich - 387614

H315 Causes skin irritation.
H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H335 May cause respiratory irritation. H340 May cause genetic defects.

H350 May cause cancer.

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P261 Avoid breathing gas.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P311 Call a POISON CENTER /doctor.

P410 + P403 Protect from sunlight. Store in a well-ventilated place.

Supplemental Hazard none

Statements

Restricted to professional users.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Oxirane

Formula : C<SB>2</>H<SB>4</>O

 Molecular weight
 : 44.05 g/mol

 CAS-No.
 : 75-21-8

 EC-No.
 : 200-849-9

 Index-No.
 : 603-023-00-X

Registration number : 01-2119432402-53-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Ethylene oxide			
CAS-No.	75-21-8	Flam. Gas 1; Press. Gas	<= 100 %
EC-No.	200-849-9	Liquefied gas; Acute Tox. 3;	
Index-No.	603-023-00-X	Skin Irrit. 2; Eye Irrit. 2; Muta.	
Registration number	01-2119432402-53-XXXX	1B; Carc. 1B; STOT SE 3;	
		H220, H280, H331, H315,	
		H319, H340, H350, H335	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

Aldrich - 387614 Page 2 of 8

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

No data available

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature 2 - 8 °C

Storage class (TRGS 510): Gases

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich - 387614 Page 3 of 8

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Splash contact

Material: butyl-rubber

Minimum layer thickness: 0.3 mm Break through time: 10 min

Material tested:Butoject® (KCL 897 / Aldrich Z677647, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engine protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: Liquefied gas
b) Odour No data available
c) Odour Threshold No data available
d) pH 7.0 at 20 °C

e) Melting point/freezing Melting point/range: -111 °C - lit.

Aldrich - 387614 Page 4 of 8

point

Initial boiling point and

boiling range

10.7 °C - lit.

g) Flash point -20.0 °C - closed cup

h) Evaporation rate No data available i) Flammability (solid, gas) No data available

Upper/lower Upper explosion limit: 99.9 %(V) i) flammability or Lower explosion limit: 3 %(V)

explosive limits

1.440 hPa at 20 °C Vapour pressure

> 2,080 hPa at 30 °C 3.950 hPa at 50 °C

I) Vapour density No data available

m) Relative density 0.882 g/cm3 at 25 °C

n) Water solubility slightly soluble o) Partition coefficient: nlog Pow: 0.3

octanol/water

429.0 °C p) Auto-ignition temperature

q) Decomposition

No data available

temperature

No data available Viscosity r) Explosive properties No data available s) Oxidizing properties

No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available

10.2 Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions 10.3

No data available

10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Alcohols, Alkali metals, Ammonia, Oxidizing agents, Chemically active metals, and its salts

10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides

Other decomposition products - No data available

In the event of fire: see section 5

Aldrich - 387614 Page 5 of 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LC50 Inhalation - Rat - 4 h - 800 ppm(Ethylene oxide)

Remarks: Lungs, Thorax, or Respiration:Other changes. Liver:Other changes. Kidney, Ureter, Bladder:Other changes.

Skin corrosion/irritation

No data available(Ethylene oxide)

Serious eye damage/eye irritation

Eyes - Rabbit(Ethylene oxide) Result: Eye irritation - 6 h

Respiratory or skin sensitisation

No data available(Ethylene oxide)

Germ cell mutagenicity

In vivo tests showed mutagenic effects(Ethylene oxide)

Carcinogenicity

Possible human carcinogen(Ethylene oxide)

IARC: 1 - Group 1: Carcinogenic to humans (Ethylene oxide)

Reproductive toxicity

No data available(Ethylene oxide)

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.(Ethylene oxide)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available(Ethylene oxide)

Additional Information

RTECS: KX2450000

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Exposure to large amounts can cause:, Convulsions(Ethylene oxide)

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 84 mg/l - 96 h(Ethylene

oxide)

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available(Ethylene oxide)

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Aldrich - 387614 Page 6 of 8

12.6 Other adverse effects

Harmful to aquatic life.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 1040 IMDG: 1040 IATA: 1040

14.2 UN proper shipping name

ADR/RID: ETHYLENE OXIDE IMDG: ETHYLENE OXIDE IATA: Ethylene oxide

Passenger Aircraft: Not permitted for transport Cargo Aircraft: Not permitted for transport

14.3 Transport hazard class(es)

ADR/RID: 2.3 (2.1) IMDG: 2.3 (2.1) IATA: 2.3 (2.1)

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

May cause cancer.

H220	Extremely flammable gas.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.

Further information

H350

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held

Aldrich - 387614 Page 7 of 8

liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Aldrich - 387614 Page 8 of 8