

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 13.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

REACH Registration Number 01-2119488221-41-XXXX

CAS-No. 7631-99-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Materials for use in technical applications

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidizing solid, Category 3, H272

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word

Warning

Hazard statements

H272 May intensify fire; oxidizer.

H319 Causes serious eye irritation.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word
Warning

CAS-No. 7631-99-4

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Formula NaNO₃ NNaO₃ (Hill)

EC-No. 231-554-3

Molar mass 84,99 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

sodium nitrate (<= 100 %)

7631-99-4 01-2119488221-41-

XXXX Oxidizing solid, Category 3, H272

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Diarrhoea, Nausea, Vomiting

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

irritant effects

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrogen oxides, nitrous gases

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Dry.

Tightly closed. Do not store near combustible materials.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour colourless

Odour odourless

Odour Threshold Not applicable

pH 5,5 - 8,0

at 50 g/l 20 °C

Melting point 308 °C

Boiling point/boiling range Not applicable

Flash point does not flash

Evaporation rate No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Flammability (solid, gas) The product is not flammable.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density Not applicable

Density 2,26 g/cm3

at 20 °C

Relative density No information available.

Water solubility 874 g/l

at 20 °C

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature > 380 °C

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties The substance or mixture is classified as oxidizing with the

category 3.

9.2 Other data

Ignition temperature Not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Bulk density ca.1.200 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

Powdered metals, aluminium oxide, boron phosphide, Cyanides, Acetic anhydride, sodium phosphite, sodium thiosulphate, performic acid, sulfur, Polyvinylchloride

Risk of ignition or formation of inflammable gases or vapours with:, Risk of explosion with: organic combustible substances, oxidisable substances, carbon, Arsenic oxides

10.4 Conditions to avoid

Heating (decomposition).

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 3.430 mg/kg OECD Test Guideline 401

Symptoms: Irritation of mucous membranes, Nausea, Vomiting, Diarrhoea

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

LD50 Rat: > 5.000 mg/kg OECD Test Guideline 402

Skin irritation

Rabbit

Result: No skin irritation
OECD Test Guideline 404

The value is given in analogy to the following substances: Ammonium nitrate

Eye irritation

Rabbit

Result: irritating

OECD Test Guideline 405

Causes serious eye irritation.

Sensitisation

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

Germ cell mutagenicity

Genotoxicity in vitro

In vitro mammalian cell gene mutation test

Human lymphocytes

Result: negative

Method: OECD Test Guideline 473

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Repeated dose toxicity

Rat

male and female

Oral

28 d

daily

NOAEL: >= 1.500 mg/kg

OECD Test Guideline 422

The value is given in analogy to the following substances:

Aspiration hazard

This information is not available.

11.2 Further information

After absorption of large quantities:

Methaemoglobinaemia with headache, cardiac arrhythmia, drop in blood pressure, dyspnoea, and spasms, key symptom: cyanosis (blue colouration of the blood).

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Toxicity to fish

LC50 Ictalurus catus (catfish): 6.200 mg/l; 96 h

(IUCLID)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 3.581 mg/l; 48 h

(IUCLID)

Toxicity to bacteria

static test EC50 activated sludge: > 1.000 mg/l; 3 h

OECD Test Guideline 209

Toxicity to fish (Chronic toxicity)

flow-through test NOEC Pimephales promelas (fathead minnow): 58 mg/l; 30 d

Analytical monitoring: yes

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1498

14.2 Proper shipping name SODIUM NITRATE

14.3 Class 5.1

14.4 Packing group

14.5 Environmentally hazardous ---

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 1498

14.2 Proper shipping name SODIUM NITRATE

14.3 Class 5.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

14.1 UN number UN 1498

14.2 Proper shipping name SODIUM NITRATE

14.3 Class 5.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-Q

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation OXIDIZING LIQUIDS AND SOLIDS

Р8

Quantity 1: 50 t Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 106535

Product name Sodium nitrate cryst. EMPLURA®

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 5.1B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidizer.
H319 Causes serious eye irritation.

Training advice

Provide adequate information, instruction and training for operators.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.