

according to Regulation (EC) No. 1907/2006

Revision Date 13.12.2017

Version 10.10

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 10361-37-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in your country.

number

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 3, Oral, H301

Acute toxicity, Category 4, Inhalation, H332

Eye irritation, Category 2, H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H301 Toxic if swallowed.

Precautionary statements

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Index-No. 056-004-00-8

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula BaCl₂ (Hill)

Index-No. 056-004-00-8

EC-No. 233-788-1

Molar mass 208,23 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

barium chloride (<= 100 %)

10361-37-2 *)

Acute toxicity, Category 3, H301 Acute toxicity, Category 4, H332 Eye irritation, Category 2, H319

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible.

4.2 Most important symptoms and effects, both acute and delayed

The following applies to soluble barium compounds in general: after swallowing: mucosal irritation, nausea, salivation, vomiting, dizziness, pain, colics, and diarrhoea. Systemic effects include: cardiac dysrhythmias, bradycardia (subdued cardiac activity), rise in blood pressure, shock and circulatory collapse as well as muscular rigidity.

Irritation and corrosion, conjunctivitis, Cough, respiratory paralysis, Shortness of breath, Dermatitis, cardiovascular disorders, cardiac arrest, death

4.3 Indication of any immediate medical attention and special treatment needed

Subsequently administer: Sodium sulfate (1 tablespoon/1/4 I water).

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 3 (acc. to DIN 3181) for solid and liquid particles of toxic and very toxic substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour white

Odour odourless

Odour Threshold Not applicable

pH ca. 5 - 8

at 50 g/l 20 °C

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

Melting point 963 °C

Boiling point/boiling range 1.560 °C

at 1.013 hPa

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

Density 3,9 g/cm3

at 20 °C

Relative density No information available.

Water solubility 375 g/l

at 20 °C

Partition coefficient: n-

No information available.

octanol/water

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density ca.1.350 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

furan-2-percarbonic acid

Violent reactions possible with:

halogen-halogen compounds, Strong oxidizing agents, strong reducing agents, acids

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 118 mg/kg

(IUCLID)

LD50 Rat: 300 mg/kg
OECD Test Guideline 401

Acute inhalation toxicity

Acute toxicity estimate: 1,6 mg/l; dust/mist

Expert judgement

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

Rabbit

Result: irritating

OECD Test Guideline 405

Causes serious eye irritation.

Sensitisation

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

Germ cell mutagenicity

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster ovary cells

Result: negative

Method: OECD Test Guideline 473

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

The following applies to soluble barium compounds in general: after swallowing: mucosal irritation, nausea, salivation, vomiting, dizziness, pain, colics, and diarrhoea. Systemic effects include: cardiac dysrhythmias, bradycardia (subdued cardiac activity), rise in blood pressure, shock and circulatory collapse as well as muscular rigidity.

Possible damages:

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

respiratory paralysis, cardiac arrest, death

Chronic intoxication:

damage of respiratory tract, conjunctivitis, Dermatitis, cardiovascular disorders

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 Leuciscus idus (Golden orfe): 870 mg/l; 48 h

Analytical monitoring: yes OECD Test Guideline 203

(IUCLID)

Toxicity to daphnia and other aquatic invertebrates

static test LC50 Daphnia magna (Water flea): 14,5 mg/l; 48 h

(ECHA) (referred to the cation)

Toxicity to algae

static test ErC50 Pseudokirchneriella subcapitata (algae): > 100 mg/l; 72 h

Analytical monitoring: yes OECD Test Guideline 201

Toxicity to bacteria

static test EC50 activated sludge: > 943,1 mg/l; 3 h

Analytical monitoring: yes OECD Test Guideline 209

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)

semi-static test Daphnia magna (Water flea): 5,8 mg/l; 21 d

(ECHA)

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Endangers drinking-water supplies if allowed to enter soil or water.

Formation of health-hazardous mixtures possible with water.

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1564

14.2 Proper shipping name BARIUM COMPOUND, N.O.S. (BARIUM CHLORIDE)

14.3 Class 6.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

14.1 UN number UN 1564

14.2 Proper shipping name BARIUM COMPOUND, N.O.S. (BARIUM CHLORIDE)

14.3 Class 6.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

14.1 UN number UN 1564

14.2 Proper shipping name BARIUM COMPOUND, N.O.S. (BARIUM CHLORIDE)

14.3 Class 6.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-A

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of $\geq 0.1 \%$ (w/w).

National legislation

Storage class 6.1 D

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Training advice

Provide adequate information, instruction and training for operators.

according to Regulation (EC) No. 1907/2006

Catalogue No. 101716

Product name Barium chloride 99.995 Suprapur®

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H301 Toxic if swallowed.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.