

according to Regulation (EC) No. 1907/2006

Revision Date 19.07.2018

Version 12.3

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

REACH Registration Number 01-2120119383-62-XXXX

CAS-No. 5970-45-6

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

## 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

## **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4, Oral, H302

Serious eye damage, Category 1, H318

Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

### Hazard pictograms







Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

### Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

### Reduced labelling (≤125 ml)

Hazard pictograms







Signal word

Danger

Hazard statements

H318 Causes serious eye damage.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

CAS-No. 5970-45-6

#### 2.3 Other hazards

None known.

#### **SECTION 3. Composition/information on ingredients**

#### 3.1 Substance

Formula (CH₃COO)₂Zn \* 2 H₂O C₄H₀O₄Zn \* 2 H₂O (Hill)

EC-No. 209-170-2

Molar mass 219,49 g/mol

### Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

zinc diacetate dihydrate (<= 100 %)

5970-45-6 01-2120119383-62-

XXXX Acute toxicity, Category 4, H302

Serious eye damage, Category 1, H318 Chronic aquatic toxicity, Category 2, H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 3.2 Mixture

Not applicable

### **SECTION 4. First aid measures**

## 4.1 Description of first aid measures

After inhalation: fresh air.

## according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion

Cough, Diarrhoea, Vomiting, cardiovascular disorders, Lung oedema

Risk of serious damage to eyes.

The following applies to zinc compounds in general: only slightly absorbable via the gastrointestinal tract. Adstringent effect on mucous membranes. Metal-fume fever after inhalation of large quantities.

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5. Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

### **SECTION 6. Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

Indications about waste treatment see section 13.

### **SECTION 7. Handling and storage**

### 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Recommended storage temperature see product label.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

### **SECTION 8. Exposure controls/personal protection**

### 8.1 Control parameters

## 8.2 Exposure controls

## **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

# Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not let product enter drains.

# **SECTION 9. Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Form solid

Colour white

Odour weakly of acetic acid

Odour Threshold No information available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

pH at 20 °C

weakly acid

Melting point 237 °C

Boiling point/boiling range Not applicable

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Density 1,74 g/cm3

at 20  $^{\circ}\text{C}$ 

Relative density No information available.

Water solubility 430 g/l

at 20 °C

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Decomposition temperature > 100 °C

Elimination of water of crystallisation

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density ca.900 kg/m3

### **SECTION 10. Stability and reactivity**

### 10.1 Reactivity

See section 10.3

## 10.2 Chemical stability

releases water of crystallisation when heated.

The product is chemically stable under standard ambient conditions (room temperature) .

## 10.3 Possibility of hazardous reactions

no information available

#### 10.4 Conditions to avoid

Strong heating (decomposition).

## 10.5 Incompatible materials

no information available

### 10.6 Hazardous decomposition products

no information available

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

# **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 663,8 mg/kg OECD Test Guideline 423

(anhydrous substance)

Acute inhalation toxicity

This information is not available.

Acute dermal toxicity

This information is not available.

Skin irritation

This information is not available.

Eye irritation

In vitro study

Result: Irreversible effects on the eye

**OECD Test Guideline 437** 

(anhydrous substance)

In vitro study

Result: Irreversible effects on the eye

**OECD Test Guideline 438** 

(anhydrous substance)

Causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

Genotoxicity in vitro

Result: Based on available data the classification criteria are not met.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

#### 11.2 Further information

After absorption:

Systemic effects:

Diarrhoea, Vomiting, cardiovascular disorders

The following applies to zinc compounds in general: only slightly absorbable via the gastrointestinal tract. Adstringent effect on mucous membranes. Metal-fume fever after inhalation of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

### 12.1 Toxicity

Toxicity to fish

static test LC50 Pimephales promelas (fathead minnow): 2,46 mg/l; 96 h

**OECD Test Guideline 203** 

(anhydrous substance)

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Toxicity to daphnia and other aquatic invertebrates

semi-static test Daphnia magna (Water flea): 3,72 mg/l; 48 h

Analytical monitoring: yes OECD Test Guideline 202 (anhydrous substance)

Toxicity to algae

static test EC50 algae: 2,1 mg/l; 72 h

Analytical monitoring: yes OECD Test Guideline 201 (anhydrous substance)

## 12.2 Persistence and degradability

Biodegradability

99 %; 28 d; aerobic

OECD Test Guideline 301A

(anhydrous substance)

Readily biodegradable

### 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

### 12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

## **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

### **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 UN number** UN 3077

**14.2 Proper shipping name** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (ZINC ACETATE)

**14.3 Class** 9

14.4 Packing group

14.5 Environmentally hazardous yes

**14.6 Special precautions for** yes

user

Tunnel restriction code -

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

### Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

**14.1 UN number** UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (ZINC ACETATE)

**14.3 Class** 9

14.4 Packing group

14.5 Environmentally hazardous yes

## according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

14.6 Special precautions for

user

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

no

Sea transport (IMDG)

**14.1 UN number** UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (ZINC ACETATE)

**14.3 Class** 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

EmS F-A S-F

Segregation Group 0007 Heavy Metals and their salts (incl. their organometallic

compounds)

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

### **SECTION 15. Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E2

Quantity 1: 200 t Quantity 2: 500 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where

applicable.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 10 - 13

# 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

### **SECTION 16. Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

## Training advice

Provide adequate information, instruction and training for operators.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

### Labelling

Hazard pictograms







Signal word

Danger

Hazard statements

H302 Harmful if swallowed.

H318 Causes serious eye damage.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

#### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 108802

Product name Zinc acetate dihydrate for analysis EMSURE® ACS

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.