

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 02.05.2018

Version 13.15

SECTION 1. Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Catalogue No.	100495
Product name	Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur
REACH Registration Number	01-2119534576-33-xxxx
CAS-No.	6153-56-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Reagent for analysis In compliance with the conditions described in the annex to this safety data sheet.
-----------------	---

1.3 Details of the supplier of the safety data sheet

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone:+49 6151 72-0
Responsible Department	LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone number	Please contact the regional company representation in your country.
---------------------------------------	--

SECTION 2. Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Acute toxicity, Category 4, Oral, H302

Acute toxicity, Category 4, Dermal, H312

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

Hazard statements

H302 + H312 Harmful if swallowed or in contact with skin.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: Oxalic acid dihydrate

Index-No. 607-006-00-8

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula	(COOH) ₂ * 2 H ₂ O	C ₂ H ₂ O ₄ * 2 H ₂ O (Hill)
Index-No.	607-006-00-8	
EC-No.	205-634-3	
Molar mass	126,07 g/mol	

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No.	Registration number	Classification
---------	---------------------	----------------

Oxalic acid dihydrate (<= 100 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

6153-56-6	01-2119534576-33- xxxx	Acute toxicity, Category 4, H302 Acute toxicity, Category 4, H312 Serious eye damage, Category 1, H318
-----------	---------------------------	--

For the full text of the H-Statements mentioned in this Section, see Section 16.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Consult a physician.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Cough, Shortness of breath, agitation, spasms, Nausea, Vomiting, collapse, Circulatory collapse

The following applies to oxalates in general: nausea and vomiting after swallowing. Mucosal irritations, coughing, and dyspnoea after inhalation. Systemic effect: drop in the blood calcium level, toxic effect on kidneys, cardiovascular disorders.

Irritation and corrosion

Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO₂), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Development of hazardous combustion gases or vapours possible in the event of fire.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Worker DNEL, acute	Local effects	dermal	0,69 mg/cm ²
Worker DNEL, longterm	Systemic effects	dermal	2,29 mg/kg Body weight
Worker DNEL, longterm	Systemic effects	inhalation	4,03 mg/m ³
Consumer DNEL, acute	Local effects	dermal	0,35 mg/cm ²
Consumer DNEL, longterm	Systemic effects	oral	1,14 mg/kg Body weight
Consumer DNEL, longterm	Systemic effects	dermal	1,14 mg/kg Body weight

Predicted No Effect Concentration (PNEC)

PNEC Fresh water	0,1622 mg/l
PNEC Marine water	0,016 mg/l
PNEC Aquatic intermittent release	1,622 mg/l
PNEC Sewage treatment plant	1550 mg/l

8.2 Exposure controls

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

splash contact:

Glove material:	Nitrile rubber
Glove thickness:	0,11 mm
Break through time:	> 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(,<) supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	odourless
Odour Threshold	Not applicable
pH	ca. 1,5 at 10 g/l
Melting point/range	98 - 100 °C Elimination of water of crystallisation
Boiling point/boiling range	149 - 160 °C at 1.013 hPa (decomposition)

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Flash point	157 °C (decomposition)
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Vapour pressure	0,000312 hPa at 25 °C
Relative vapour density	No information available.
Density	1,65 g/cm ³ at 20 °C
Relative density	No information available.
Water solubility	> 100 g/l at 25 °C
Partition coefficient: n-octanol/water	log Pow: -1,7 (23 °C) OECD Test Guideline 107 Bioaccumulation is not expected.
Auto-ignition temperature	> 400 °C at 1.013 hPa
Decomposition temperature	>= 110 °C
Viscosity, dynamic	No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100495
Product name	Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature Not applicable

Bulk density 813 kg/m³

Particle size Particle size
101 µm

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Risk of explosion with:

chlorates, sodium hypochlorite, Strong oxidizing agents, silver, salts of oxyhalogenic acids

Exothermic reaction with:

bases, Ammonia, Mercury

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 375 mg/kg

(IUCLID) The value is given in analogy to the following substances: Oxalic acid

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

Acute toxicity estimate : 1.100,1 mg/kg

Expert judgement

Skin irritation

Rabbit

Result: No irritation

OECD Test Guideline 404

The value is given in analogy to the following substances: Oxalic acid

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

The value is given in analogy to the following substances: Oxalic acid

Causes serious eye damage.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Sensitisation

Local lymph node assay (LLNA) Mouse

Result: negative

Method: OECD Test Guideline 429

The value is given in analogy to the following substances: Oxalic acid

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Salmonella typhimurium

Result: negative

Method: OECD Test Guideline 471

The value is given in analogy to the following substances: Oxalic acid

Mutagenicity (mammal cell test): chromosome aberration.

Chinese hamster lung cells

Result: negative

Method: OECD Test Guideline 473

The value is given in analogy to the following substances: Oxalic acid

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

11.2 Further information

Systemic effects:

After absorption:

agitation, spasms, Nausea, Vomiting, Circulatory collapse, collapse, disturbed electrolyte balance.

Secondary products cause:

Damage to:

Kidney

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 *Leuciscus idus* (Golden orfe): 160 mg/l; 48 h

(IUCLID) The value is given in analogy to the following substances: Oxalic acid

Toxicity to daphnia and other aquatic invertebrates

Daphnia magna (Water flea): 162,2 mg/l; 48 h

Analytical monitoring: yes

OECD Test Guideline 202

The value is given in analogy to the following substances: Oxalic acid

12.2 Persistence and degradability

Biodegradability

89 %; 20 d; aerobic

(ECHA) The value is given in analogy to the following substances:

Readily biodegradable Oxalic acid

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: -1,7 (23 °C)

OECD Test Guideline 107

Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

12.5 Results of PBT and vPvB assessment

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Other adverse effects

Surface tension

70,1 mN/m

at 25 °C

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

Sea transport (IMDG)

14.1 - 14.6 Not classified as dangerous in the meaning of transport regulations.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC not regulated

Substances of very high concern (SVHC) This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 % (w/w).

National legislation

Storage class 8A

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H318	Causes serious eye damage.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H302 + H312 Harmful if swallowed or in contact with skin.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	100495
Product name	Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Contains: Oxalic acid dihydrate

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Reagent for analysis)

Sectors of end-use

- SU 3* Industrial uses: Uses of substances as such or in preparations at industrial sites
SU 9 Manufacture of fine chemicals
SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

- PC 21* Laboratory chemicals

Process categories

- PROC 1* Use in closed process, no likelihood of exposure
PROC 2 Use in closed, continuous process with occasional controlled exposure
PROC 3 Use in closed batch process (synthesis or formulation)
PROC 4 Use in batch and other process (synthesis) where opportunity for exposure arises
PROC 5 Mixing or blending in batch processes for formulation of preparations and articles (multistage and/ or significant contact)
PROC 8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at non-dedicated facilities
PROC 8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/ large containers at dedicated facilities
PROC 9 Transfer of substance or preparation into small containers (dedicated filling line, including weighing)
PROC 10 Roller application or brushing
PROC 15 Use as laboratory reagent

Environmental Release Categories

- ERC 1* Manufacture of substances
ERC 2 Formulation of preparations
ERC 6a Industrial use resulting in manufacture of another substance (use of intermediates)
ERC 6b Industrial use of reactive processing aids
-

2. Contributing scenarios: Operational conditions and risk management measures

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

2.1 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC5, PROC8a, PROC8b, PROC9, PROC10, PROC15

Product characteristics

Concentration of the Substance in Mixture/Article Covers the percentage of the substance in the product up to 100 %.

Physical Form (at time of use) Solid, medium dustiness

Frequency and duration of use

Frequency of use 8 hours/day
Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours. Assumes a good basic standard of occupational hygiene is implemented. Provide adequate information, instruction and training for operators. Regular cleaning of equipment, work area and clothing.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374) and eye protection.

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	< 0,01	ECETOC TRA
		longterm, combined, systemic	< 0,01	
2.1	PROC2	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	0,03	ECETOC TRA
		longterm, combined, systemic	0,03	
2.1	PROC3	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	< 0,01	ECETOC TRA
		longterm, combined, systemic	< 0,01	
2.1	PROC4	longterm, inhalative, systemic	0,15	ECETOC TRA
		longterm, dermal, systemic	0,17	ECETOC TRA
		longterm, combined, systemic	0,32	
2.1	PROC5	longterm, inhalative, systemic	0,15	ECETOC TRA
		longterm, dermal, systemic	0,02	ECETOC TRA
		longterm, combined, systemic	0,17	
2.1	PROC8a	longterm, inhalative, systemic	0,31	ECETOC TRA
		longterm, dermal, systemic	0,03	ECETOC TRA
		longterm, combined, systemic	0,34	
2.1	PROC8b	longterm, inhalative, systemic	0,07	ECETOC TRA
		longterm, dermal, systemic	0,17	ECETOC TRA
		longterm, combined, systemic	0,25	
2.1	PROC9	longterm, inhalative, systemic	0,13	ECETOC TRA
		longterm, dermal, systemic	0,17	ECETOC TRA
		longterm, combined, systemic	0,30	
2.1	PROC10	longterm, inhalative, systemic	0,34	ECETOC TRA
		longterm, dermal, systemic	0,06	ECETOC TRA
		longterm, combined, systemic	0,40	
2.1	PROC15	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	0,03	ECETOC TRA
		longterm, combined, systemic	0,03	

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH
Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC
Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck
tool SciDeEx® at www.merckmillipore.com/scideex.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Reagent for analysis)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

Chemical product category

PC 21 Laboratory chemicals

Process categories

PROC 15 Use as laboratory reagent

Environmental Release Categories

ERC 2 Formulation of preparations

ERC 8a Wide dispersive indoor use of processing aids in open systems

ERC 8b Wide dispersive indoor use of reactive substances in open systems

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Substance in Mixture/Article Covers the percentage of the substance in the product up to 100 %.

Physical Form (at time of use) Solid, low dustiness

Frequency and duration of use

Frequency of use 8 hours/day

Frequency of use 5 days/week

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours. Assumes a good basic standard of occupational hygiene is

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495
Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur

implemented. Provide adequate information, instruction and training for operators. Regular cleaning of equipment, work area and clothing.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves (tested to EN374) and eye protection.

3. Exposure estimation and reference to its source

Environment

A chemical safety assessment was performed according REACH Article 14(3), Annex I, sections 3 (Environmental Hazard Assessment) and 4 (PBT/vPvB Assessment). As no hazard was identified, an exposure assessment and risk characterisation is not necessary (REACH Annex I section 5.0).

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.1	PROC1	longterm, inhalative, systemic	< 0,01	ECETOC TRA
		longterm, dermal, systemic	< 0,01	ECETOC TRA
		longterm, combined, systemic	< 0,01	

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 100495

Product name Oxalic acid dihydrate for analysis EMSURE® ACS,ISO,Reag. Ph Eur
