

according to Regulation (EC) No. 1907/2006

Revision Date 15.08.2017

Version 11.3

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 801801

Product name Benzophenone for synthesis

REACH Registration Number A registration number is not available for this substance as the

substance or its use are exempted from registration according to
Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage
does not require a registration or the registration is envisaged for a

later registration deadline.

CAS-No. 119-61-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Chemical for synthesis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Acute aquatic toxicity, Category 1, H400

Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Reduced labelling (≤125 ml)

Hazard pictograms



Signal word
Warning

CAS-No. 119-61-9

2.3 Other hazards

None known.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $C_6H_5COC_6H_5$ $C_{13}H_{10}O$ (Hill)

EC-No. 204-337-6

Molar mass 182,22 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Benzophenone derivatives (<= 100 %)

119-61-9 *)

Acute aquatic toxicity, Category 1, H400 Chronic aquatic toxicity, Category 1, H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

^{*)} A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

4.2 Most important symptoms and effects, both acute and delayed

We have no description of any toxic symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Carbon dioxide (CO2), Foam, Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not empty into drains.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Safety glasses

Hand protection

full contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 1 (acc. to DIN 3181) for solid particles of inert substances. The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not empty into drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form crystals

Colour colourless

Odour characteristic

Odour Threshold No information available.

pH No information available.

Melting point 47 - 49 °C

Boiling point/boiling range 304 - 306 °C

at 1.013 hPa

Flash point 150 °C

Method: DIN 51758

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No.	801801

Product name Benzophenone for synthesis

Vapour pressure 0,004 hPa

at 20 °C

1,3 hPa

at 108 °C

Relative vapour density No information available.

Density 1,1 g/cm3

at 25 $^{\circ}\text{C}$

Relative density No information available.

Water solubility 0,14 g/l

at 25 °C

Partition coefficient: n- log Pow: 3,18

octanol/water (experimental)

Bioaccumulation is not expected. (Lit.)

Auto-ignition temperature No information available.

Decomposition temperature > 320 °C

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Bulk density 700 kg/m3

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

SECTION 10. Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Violent reactions possible with:

Strong oxidizing agents

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

no information available

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 10.000 mg/kg

(IUCLID)

Acute inhalation toxicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Acute dermal toxicity

LD50 Rabbit: 3.535 mg/kg

(IUCLID)

Skin irritation

Rabbit

Result: slight irritation

(IUCLID)

Eye irritation

Rabbit

Result: No eye irritation

(External MSDS)

Sensitisation

Sensitisation test: Guinea pig

Result: negative

(IUCLID)

Sensitisation possible in predisposed persons.

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Result: negative

(External MSDS)

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

LC50 Pimephales promelas (fathead minnow): 10,9 mg/l; 96 h

(ECOTOX Database)

Toxicity to daphnia and other aquatic invertebrates

EC50 Daphnia magna (Water flea): 0,28 mg/l; 24 h

OECD Test Guideline 202

12.2 Persistence and degradability

Biodegradability

0 %; 14 d

OECD Test Guideline 301C

Not readily biodegradable.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 3,18 (experimental)

Bioaccumulation is not expected. (Lit.)

12.4 Mobility in soil

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Distribution among environmental compartments

log Koc: 2,7

(External MSDS) Mobility of the substance in soil is expected (log koc <3).

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Discharge into the environment must be avoided.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (BENZOPHENONE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

Tunnel restriction code -

Packages smaller than or equal to 5 kg / L , not dangerous goods of Class 9

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (BENZOPHENONE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for no

user

Packages smaller than or equal to 5 kg / L, not dangerous goods of Class 9

Sea transport (IMDG)

14.1 UN number UN 3077

14.2 Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (BENZOPHENONE)

14.3 Class 9

14.4 Packing group

14.5 Environmentally hazardous yes

14.6 Special precautions for yes

user

EmS F-A S-F

Packages smaller than or equal to 5 kg / L, not dangerous goods of Class 9

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation ENVIRONMENTAL HAZARDS

E1

Quantity 1: 100 t Quantity 2: 200 t

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending

Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 10 - 13

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Merck (company-internal/in-house) Occupational Exposure Limit (Merck OEL)

Internal company value 300 µg/m3

Short Term Exposure (15 4

min) Factor

Pregnancy risk groups C

There is no reason to fear damage to the embryo, or foetus when

the Merck OEL value is observed.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

Full text of H-Statements referred to under sections 2 and 3.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms



Signal word

Warning

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

P273 Avoid release to the environment.

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

according to Regulation (EC) No. 1907/2006

Catalogue No. 801801

Product name Benzophenone for synthesis

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.