# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 6.0 Revision Date 30.03.2016

Print Date 21.07.2019

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium selenate

Product Number : S8295 Brand : Sigma

Index-No. : 034-002-00-8

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 13410-01-0

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

1.4 Emergency telephone number

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC weltweit)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Oral (Category 3), H301

Specific target organ toxicity - repeated exposure (Category 2), H373

Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H301 Toxic if swallowed. H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P273 Avoid release to the environment.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P311 Call a POISON CENTER /doctor.

P501 Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : Na<sub>2</sub>O<sub>4</sub>Se

Molecular weight : 188.94 g/mol
CAS-No. : 13410-01-0
EC-No. : 236-501-8
Index-No. : 034-002-00-8

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Sodium selenate			
CAS-No.	13410-01-0	Acute Tox. 3; STOT RE 2;	<= 100 %
EC-No.	236-501-8	Aquatic Acute 1; Aquatic	
Index-No.	034-002-00-8	Chronic 1; H301, H331, H373,	
		H400, H410	

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

No data available

Sigma - S8295 Page 2 of 8

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Sodium oxides. Selenium/selenium oxides

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

No data available

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Combustible solids, toxic

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

#### 8.2 Exposure controls

#### Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Sigma - S8295 Page 3 of 8

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

# **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid

Colour: white

b) Odourc) Odour ThresholdNo data availableNo data available

d) pH 5.5 - 7.5 at 18.9 g/l at 25 °C

e) Melting point/freezing

point

No data available

f) Initial boiling point and

boiling range

No data available

g) Flash point Not applicable

h) Evaporation rate No data available

i) Flammability (solid, gas) No data available

j) Upper/lower No data available

Sigma - S8295 Page 4 of 8

flammability or explosive limits

No data available k) Vapour pressure Vapour density No data available m) Relative density No data available ca.18.9 g/l at 20 °C n) Water solubility

o) Partition coefficient: n-

octanol/water

log Pow: 5

Auto-ignition temperature

No data available

Decomposition temperature

No data available

No data available r) Viscosity **Explosive properties** No data available No data available Oxidizing properties

#### 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### Reactivity

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# Possibility of hazardous reactions

No data available

# 10.4 Conditions to avoid

No data available

### 10.5 Incompatible materials

Strong oxidizing agents

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Sodium oxides, Selenium/selenium

Other decomposition products - No data available

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 1.6 mg/kg(Sodium selenate)

Inhalation: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)(Sodium selenate)

#### Skin corrosion/irritation

No data available(Sodium selenate)

# Serious eye damage/eye irritation

No data available(Sodium selenate)

#### Respiratory or skin sensitisation

No data available(Sodium selenate)

#### Germ cell mutagenicity

Sigma - S8295 Page 5 of 8 No data available(Sodium selenate)

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its classification. (Sodium selenate) (Sodium selenate)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Sodium selenate)

# Reproductive toxicity

No data available(Sodium selenate)

# Specific target organ toxicity - single exposure

No data available (Sodium selenate)

#### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

# **Aspiration hazard**

No data available(Sodium selenate)

# **Additional Information**

RTECS: VS6650000

anemia, Vomiting, Diarrhoea, Cough, Difficulty in breathing, Acute selenium poisoning produces central nervous system effects, which in signs of intoxication can include skin eruptions, lassitude, gastrointest odorous ("garlic") breath, and partial loss of hair and nails. Chronic ex pallor, coating of the tongue, anemia, irritation of the mucosa, lumbar p previously mentioned symptoms. Chronic contact with selenium compounds ma moderate emotional instability.(Sodium selenate)

### **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish mortality NOEC - Pimephales promelas (fathead minnow) - 1.25 mg/l - 5.0

d(Sodium selenate)

LC50 - Pimephales promelas (fathead minnow) - 0.69 mg/l - 96.0 h(Sodium

selenate)

mortality LOEC - Pimephales promelas (fathead minnow) - 2.42 mg/l - 5.0

d(Sodium selenate)

Toxicity to daphnia and

other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 0.39 mg/l - 48 h(Sodium selenate)

Toxicity to algae Growth inhibition LOEC - Chlorella vulgaris (Fresh water algae) - 0.083 mg/l - 7

d(Sodium selenate)

Growth inhibition EC50 - Ankistrodesmus falcatus - 0.033 mg/l - 14 d(Sodium

selenate)

# 12.2 Persistence and degradability

No data available

#### 12.3 Bioaccumulative potential

Bioaccumulation Pimephales promelas (fathead minnow) - 8 Weeks

- 10.7 µg/I(Sodium selenate)

Bioconcentration factor (BCF): 153.8

# 12.4 Mobility in soil

No data available(Sodium selenate)

Sigma - S8295 Page 6 of 8

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

# Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

#### 14.1 UN number

ADR/RID: 2630 IMDG: 2630 IATA: 2630

# 14.2 UN proper shipping name

ADR/RID: SELENATES (Sodium selenate)
IMDG: SELENATES (Sodium selenate)
IATA: Selenates (Sodium selenate)

#### 14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

# 14.4 Packaging group

ADR/RID: I IMDG: I IATA: I

#### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed. H331 Toxic if inhaled.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held

Sigma - S8295 Page 7 of 8

liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - S8295 Page 8 of 8