# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006 Version 6.0 Revision Date 30.03.2016 Print Date 29.05.2019

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Arsenic(III) oxide

Product Number : 311383 Brand : SIGALD Index-No. : 033-003-00-0

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 1327-53-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

1.4 Emergency telephone number

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC weltweit)

# **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 2), H300 Skin corrosion (Category 1B), H314 Carcinogenicity (Category 1A), H350 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H300 Fatal if swallowed.

SIGALD - 311383 Page 1 of 8

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P201 Obtain special instructions before use.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P310 + P330 IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse

mouth.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for

breathing. Immediately call a POISON CENTER/doctor.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Restricted to professional users.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Arsenous acid

Arsenic trioxide

Formula : As<SB>2</>O<SB>3</>

Molecular weight : 197.84 g/mol CAS-No. : 1327-53-3 EC-No. : 215-481-4 Index-No. : 033-003-00-0

Hazardous ingredients according to Regulation (EC) No 1272/2008

| Component   |  | Classification   | Concentration |
|---|--|--|---------------|
| <b>Arsenic trioxide</b> Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH) |  |  |               |
| CAS-No.<br>EC-No.<br>Index-No.  | 1327-53-3<br>215-481-4<br>033-003-00-0 | Acute Tox. 2; Skin Corr. 1B;<br>Carc. 1A; Aquatic Acute 1;<br>Aquatic Chronic 1; H300,<br>H314, H350, H400, H410<br>M-Factor - Aquatic Acute: 10 | <= 100 %      |

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

SIGALD - 311383 Page 2 of 8

### In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

Arsenic oxides

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

No data available

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

# 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Avoid exposure - obtain special instructions before use.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

Storage class (TRGS 510): Non-combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SIGALD - 311383 Page 3 of 8

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# 8.2 Exposure controls

# Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

# Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.11 mm Break through time: 480 min

Material tested: Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industria situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use (EN 143) respirator cartridges as a backup to engineering controls. If th full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

# Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance Form: powder

Colour: white, light grey

b) Odour odourless

SIGALD - 311383 Page 4 of 8

Odour Threshold No data available d) рΗ No data available

Melting point/freezing

point

Melting point/range: 313 °C

Initial boiling point and f) boiling range

460 °C at 1.013 hPa

Flash point No data available g) No data available h) Evaporation rate Flammability (solid, gas) No data available i) Upper/lower No data available j)

flammability or explosive limits

k) Vapour pressure 0.000001 mmHg at 66 °C

Vapour density No data available m) Relative density 3.738 g/cm3

n) Water solubility 17.8 g/l at 20 °C - OECD Test Guideline 105

o) Partition coefficient: n-

octanol/water

log Pow: 5

p) Auto-ignition No data available temperature

Decomposition temperature

No data available

No data available Viscosity r) No data available s) Explosive properties No data available Oxidizing properties

#### 9.2 Other safety information

No data available

# **SECTION 10: Stability and reactivity**

#### Reactivity 10.1

No data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

No data available

#### 10.4 Conditions to avoid

Heat

#### 10.5 Incompatible materials

Oxidizing agents, Metals

# 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Arsenic oxides Other decomposition products - No data available

In the event of fire: see section 5

SIGALD - 311383 Page 5 of 8

# **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - 14.6 mg/kg(Arsenic trioxide)

### Skin corrosion/irritation

No data available(Arsenic trioxide)

# Serious eye damage/eye irritation

No data available(Arsenic trioxide)

# Respiratory or skin sensitisation

No data available(Arsenic trioxide)

# Germ cell mutagenicity

No data available(Arsenic trioxide)

# Carcinogenicity

This is or contains a component that has been reported to be carcinogenic classification.(Arsenic trioxide) Human carcinogen.(Arsenic trioxide) (Arsenic trioxide)

IARC: 1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

1 - Group 1: Carcinogenic to humans (Arsenic trioxide)

# Reproductive toxicity

No data available(Arsenic trioxide)

# Specific target organ toxicity - single exposure

No data available(Arsenic trioxide)

# Specific target organ toxicity - repeated exposure

No data available

### **Aspiration hazard**

No data available(Arsenic trioxide)

### **Additional Information**

RTECS: CG3325000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated., Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache(Arsenic trioxide)

### **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 8.23 mg/l - 24 h(Arsenic trioxide) other aquatic invertebrates

# 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

Bioaccumulation Lepomis cyanellus(Arsenic trioxide)

SIGALD - 311383 Page 6 of 8

# 12.4 Mobility in soil

No data available(Arsenic trioxide)

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

# **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

### **Product**

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chem scrubber.

# **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 1561 IMDG: 1561 IATA: 1561

# 14.2 UN proper shipping name

ADR/RID: ARSENIC TRIOXIDE IMDG: ARSENIC TRIOXIDE IATA: Arsenic trioxide

# 14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

# 14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

# 14.6 Special precautions for user

No data available

# **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Authorisations and/or restrictions on use

# 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

# Full text of H-Statements referred to under sections 2 and 3.

| H300 | Fatal if swallowed.                                   |  |
|------|---|--|
| H314 | Causes severe skin burns and eye damage.              |  |
| H350 | May cause cancer.                                     |  |
| H400 | Very toxic to aquatic life.                           |  |
| H410 | Very toxic to aquatic life with long lasting effects. |  |

SIGALD - 311383 Page 7 of 8

### **Further information**

Copyright 2016 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

SIGALD - 311383 Page 8 of 8