

according to Regulation (EC) No. 1907/2006

Revision Date 17.01.2019

Version 18.4

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

100317 Catalogue No.

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS, ISO, Reag. Ph Eur

REACH Registration

Number section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis, Chemical production

In compliance with the conditions described in the annex to

This product is a mixture. REACH Registration Number see

this safety data sheet.

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49

6151 72-0

LS-QHC * e-mail: prodsafe@merckgroup.com Responsible Department

1.4 Emergency telephone Please contact the regional company representation in

number your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290 Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category 3, Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word
Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

Page 2 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Chemical nature

Aqueous solution

3.1 SubstanceNot applicable

3.2 Mixture

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration Classification

number

Hydrochloric Acid (>= 25 % - < 50 %)

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

7647-01-0 01-2119484862-

27-XXXX Corrosive to metals, Category 1, H290

Skin corrosion, Category 1B, H314

Specific target organ toxicity - single exposure, Category

3, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4. First aid measures

4.1 Description of first aid measures

General advice

First aider needs to protect himself.

After inhalation: fresh air. Call in physician.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, cardiovascular disorders, Risk of blindness!

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Page 3 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

Hydrogen chloride gas

5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® H⁺, Merck Art. No. 101595). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

No metal containers.

Page 4 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS, ISO, Reag. Ph Eur

Storage conditions Tightly closed.

Recommended storage temperature see product label.

7.3 Specific end use(s)

See exposure scenario in the Annex to this MSDS.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

Derived No Effect Level (DNEL)

Hydrochloric Acid (7647-01-0)

Worker DNEL, acute Local effects inhalation 15 mg/m³

Worker DNEL, Local effects inhalation 8 mg/m³

Worker DNEL, longterm

Predicted No Effect Concentration (PNEC)

Hydrochloric Acid (7647-01-0)

PNEC Fresh water 0,036 mg/l
PNEC Marine water 0,036 mg/l
PNEC Aquatic intermittent release 0,045 mg/l
PNEC Sewage treatment plant 0,036 mg/l

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Preak through time: > 480 min

splash contact:

Glove material: natural latex

Page 5 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Glove thickness: 0,6 mm Break through time: > 120 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 706 Lapren® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment
Acid-resistant protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: filter E-(P2)

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour stinging

Odour Threshold 0,8 - 5 ppm

Gaseous hydrogen chloride (HCI).

pH < 1

at 20 °C

Solidification point -30 °C

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure 190 hPa

at 20 °C

Relative vapour density No information available.

Density ca.1,19 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water Not applicable

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic 2,3 mPa.s

at 15 °C

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature Not applicable

Corrosion May be corrosive to metals.

SECTION 10. Stability and reactivity

10.1 Reactivity

Corrosive in contact with metals

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with:

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Amines, potassium permanganate, salts of oxyhalogenic acids, semimetallic oxides, semimetallic hydrogen compounds, Aldehydes, vinylmethyl ether

Risk of ignition or formation of inflammable gases or vapours with:

carbides, lithium silicide, Fluorine

Generates dangerous gases or fumes in contact with:

Aluminium, hydrides, formaldehyde, Metals, strong alkalis, Sulphides

Risk of explosion with:

Alkali metals, conc. sulfuric acid

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Metals, metal alloys

Gives off hydrogen by reaction with metals.

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects Mixture

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

Acute inhalation toxicity

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract

Acute dermal toxicity

This information is not available.

Skin irritation

Mixture causes burns.

Eye irritation

Mixture causes serious eye damage. Risk of blindness!

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS, ISO, Reag. Ph Eur

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

Mixture may cause respiratory irritation.

Target Organs: Respiratory system

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

11.2 Further information

After uptake:

After a latency period:

cardiovascular disorders

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Components

Hydrochloric Acid

Skin irritation

Rabbit

Result: Corrosive

OECD Test Guideline 404

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

Sensitisation

Maximisation Test Guinea pig

Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406

SECTION 12. Ecological information

Mixture

12.1 Toxicity

No information available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

Not applicable

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Page 9 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS, ISO, Reag. Ph Eur

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

12.6 Other adverse effects

Additional ecological information

Forms corrosive mixtures with water even if diluted. Harmful effect due to pH shift. Discharge into the environment must be avoided.

Components

Hydrochloric Acid

Toxicity to fish

Lepomis macrochirus (Bluegill sunfish): 20,5 mg/l; 96 h

OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

EC50: 1,3 mg/l; 48 h OECD Test Guideline 202

Substance does not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII.

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1789

14.2 Proper shipping HYDROCHLORIC ACID

name

14.3 Class814.4 Packing groupII14.5 Environmentally---

hazardous

14.6 Special precautions yes

for user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

14.1 UN number UN 1789

14.2 Proper shipping

name

HYDROCHLORIC ACID

14.3 Class814.4 Packing groupII14.5 Environmentally---

hazardous

14.6 Special precautions

for user

Sea transport (IMDG)

14.1 UN number UN 1789

14.2 Proper shipping HYDROCHLORIC ACID

no

name

14.3 Class 8
14.4 Packing group II
14.5 Environmentally --hazardous

14.6 Special precautions yes

for user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young

people at work.

Regulation (EC) No 1005/2009 on substances not regulated

that deplete the ozone layer

Regulation (EC) No 850/2004 of the not regulated European Parliament and of the Council of 29 April 2004 on persistent organic pollutants

and amending Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Hydrochloric acid fuming 37% for analysis EMSURE® Product name

ACS,ISO,Reag. Ph Eur

This product does not contain Substances of very high concern (SVHC)

substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of ≥ 0.1 %

(w/w).

National legislation

Storage class 8B

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word Danger

Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/

physician.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 1 (Industrial use)

1. Industrial use Reagent for analysis, Chemical production)

Sectors of end-use

SU 3 Industrial uses: Uses of substances as such or in preparations at industrial

sites

SU9 Manufacture of fine chemicals

SU 10 Formulation [mixing] of preparations and/ or re-packaging (excluding alloys)

Chemical product category

PC19 Intermediate

PC21 Laboratory chemicals

Process categories

PROC1 Use in closed process, no likelihood of exposure

PROC2 Use in closed, continuous process with occasional controlled exposure

PROC3 Use in closed batch process (synthesis or formulation)

PROC4 Use in batch and other process (synthesis) where opportunity for exposure

arises

PROC5 Mixing or blending in batch processes for formulation of preparations and

articles (multistage and/ or significant contact)

PROC8a Transfer of substance or preparation (charging/ discharging) from/ to vessels/

large containers at non-dedicated facilities

PROC8b Transfer of substance or preparation (charging/ discharging) from/ to vessels/

large containers at dedicated facilities

PROC9 Transfer of substance or preparation into small containers (dedicated filling line,

including weighing)

PROC10 Roller application or brushing

PROC14 Production of preparations or articles by tabletting, compression, extrusion,

pelletisation

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC1 Manufacture of substances ERC2 Formulation of preparations

ERC4 Industrial use of processing aids in processes and products, not becoming part

of articles

ERC6a Industrial use resulting in manufacture of another substance (use of

intermediates)

ERC6b Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures 2.1 Contributing scenario controlling environmental exposure for: ERC1, ERC2, ERC4,

ERC6a, ERC6b

Other given operational conditions affecting environmental exposure

Number of emission days per 360

Page 14 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

year

Remarks Substance hydrolyses rapidly.

Technical conditions and measures / Organizational measures

Water Ensure all waste water is collected and treated via a

WWTP. Solutions with low pH-value must be

neutralized before discharge.

2.2 Contributing scenario controlling worker exposure for: PROC1, PROC2, PROC3, PROC4, PROC8b, PROC15

Product characteristics

Concentration of the Covers the percentage of the substance in the product

Substance in Mixture/Article up to 40 %.

Physical Form (at time of use) High volatile liquid

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor with local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Use suitable eye protection.

2.3 Contributing scenario controlling worker exposure for: PROC5, PROC8a, PROC9, PROC10, PROC14

Product characteristics

Concentration of the Covers the percentage of the substance in the product

Substance in Mixture/Article up to 40 %.

Physical Form (at time of use) High volatile liquid

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor With LEV and enhanced general ventilation

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Use suitable eye protection.

Page 15 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1			All compartments		Qualitative assessment used to conclude safe use.

Workers

_

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

For (other) acute and local effects risk management measures are based on qualitative risk characterisation.

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release

Page 16 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

EXPOSURE SCENARIO 2 (Professional use)

1. Professional use Reagent for analysis, Chemical production)

Sectors of end-use

SU 22 Professional uses: Public domain (administration, education, entertainment,

services, craftsmen)

Chemical product category

PC21 Laboratory chemicals

Process categories

PROC15 Use as laboratory reagent

Environmental Release Categories

ERC2 Formulation of preparations

ERC6a Industrial use resulting in manufacture of another substance (use of

intermediates)

ERC6b Industrial use of reactive processing aids

2. Contributing scenarios: Operational conditions and risk management measures

2.1 Contributing scenario controlling environmental exposure for: ERC2, ERC6a, ERC6b

Other given operational conditions affecting environmental exposure

Number of emission days per 360

year

Remarks Substance hydrolyses rapidly.

Technical conditions and measures / Organizational measures

Water Ensure all waste water is collected and treated via a

WWTP. Solutions with low pH-value must be

neutralized before discharge.

2.2 Contributing scenario controlling worker exposure for: PROC15

Product characteristics

Concentration of the Covers the percentage of the substance in the product

Substance in Mixture/Article up to 40 %.

Physical Form (at time of use) High volatile liquid

Frequency and duration of use

Frequency of use 8 hours/day

Other operational conditions affecting workers exposure

Outdoor / Indoor Indoor With local exhaust ventilation (LEV)

Organisational measures to prevent /limit releases, dispersion and exposure

Covers daily exposures up to 8 hours.

Page 18 of 19

according to Regulation (EC) No. 1907/2006

Catalogue No. 100317

Product name Hydrochloric acid fuming 37% for analysis EMSURE®

ACS,ISO,Reag. Ph Eur

Conditions and measures related to personal protection, hygiene and health evaluation

Wear suitable gloves tested to EN374. Use suitable eye protection.

3. Exposure estimation and reference to its source

Environment

CS	Use descriptor	Msafe	Compartment	RCR	Exposure Assessment Method
2.1			All compartments		Qualitative assessment used to conclude safe use.

Workers

CS	Use descriptor	Exposure duration, route, effect	RCR	Exposure Assessment Method
2.2	PROC15	longterm, inhalative, local	0,76	ECETOC TRA, modified

The default parameters and -efficiencies of the applied exposure assessment model were used for the calculation (unless stated differently).

For (other) acute and local effects risk management measures are based on qualitative risk characterisation.

4. Guidance to Downstream User to evaluate whether he works inside the boundaries set by the Exposure Scenario

Please refer to the following documents: ECHA Guidance on information requirements and chemical safety assessment Chapter R.12: Use descriptor system; ECHA Guidance for downstream users; ECHA Guidance on information requirements and chemical safety assessment Part D: Exposure Scenario Building, Part E: Risk Characterisation and Part G: Extending the SDS; VCI/Cefic REACH Practical Guides on Exposure Assessment and Communications in the Supply Chain; CEFIC Guidance Specific Environmental Release Categories (SPERCs).

For scaling of worker exposure assessments performed with ECETOC TRA, please consult the Merck tool ScIDeEx® at www.merckmillipore.com/scideex.