

according to Regulation (EC) No. 1907/2006

Revision Date 31.07.2018

Version 6.2

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

REACH Registration Number 01-2119615605-42-XXXX

CAS-No. 10042-76-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

1.3 Details of the supplier of the safety data sheet

Company Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0

Responsible Department LS-QHC * e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone

number

Please contact the regional company representation in your country.

SECTION 2. Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Oxidizing solid, Category 1, H271

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word

Danger

Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H318 Causes serious eye damage.

Precautionary statements

Prevention

P210 Keep away from heat.

P221 Take any precaution to avoid mixing with combustibles, heavy-metal compounds, acids and alkalis.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Reduced labelling (≤125 ml)

Hazard pictograms





Signal word

Danger

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H318 Causes serious eye damage.

Precautionary statements

P210 Keep away from heat.

P280 Wear eye protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

Contains: Strontium nitrate

CAS-No. 10042-76-9

2.3 Other hazards

None known.

SECTION 3. Composition/information on ingredients

3.1 Substance

Formula $Sr(NO_3)_2$ N_2O_6Sr (Hill)

EC-No. 233-131-9

Molar mass 211,63 g/mol

Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

Strontium nitrate (<= 100 %)

10042-76-9 01-2119615605-42-

XXXX Oxidizing solid, Category 1, H271

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

Not applicable

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

SECTION 4. First aid measures

4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower.

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

The following applies to strontium compounds in general: only slightly absorbable via the gastrointestinal tract.

Irritation and corrosion

Risk of serious damage to eyes.

4.3 Indication of any immediate medical attention and special treatment needed

No information available.

SECTION 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Not combustible.

Fire may cause evolution of:

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

nitrous gases, nitrogen oxides

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

Indications about waste treatment see section 13.

SECTION 7. Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Dry.

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat. Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them.

Recommended storage temperature see product label.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8. Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Environmental exposure controls

Do not let product enter drains.

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

SECTION 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form solid

Colour white

Odour odourless

Odour Threshold No information available.

pH ca. 5 - 7

at 50 g/l 20 °C

Melting point 570 °C

Boiling point/boiling range 645 °C

at 1.013 hPa

Flash point No information available.

Evaporation rate No information available.

Flammability (solid, gas) The product is not flammable.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

Relative vapour density No information available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Density 2,986 g/cm3

at 20 °C

Relative density No information available.

Water solubility 660 g/l

at 20 °C

Partition coefficient: n- log Pow: 0,19

octanol/water (calculated)

(Lit.) Bioaccumulation is not expected.

Auto-ignition temperature No information available.

Decomposition temperature No information available.

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties The substance or mixture is classified as oxidizing with the

category 1.

9.2 Other data

Bulk density ca.1.000 kg/m3

SECTION 10. Stability and reactivity

10.1 Reactivity

See section 10.3

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Violent reactions possible with:

combustible substances, Powdered metals, sulfur, oxidisable substances, Polyvinylchloride

10.4 Conditions to avoid

no information available

10.5 Incompatible materials

no information available

10.6 Hazardous decomposition products

in the event of fire: See section 5.

SECTION 11. Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: > 2.000 mg/kg OECD Test Guideline 423

Symptoms: Nausea, Vomiting

Acute inhalation toxicity

LC50 Rat: > 4,5 mg/l; 4 h; dust/mist

OECD Test Guideline 403

Symptoms: Possible damages:, mucosal irritations

Acute dermal toxicity

This information is not available.

Skin irritation

In vitro study

Result: No skin irritation Human Skin Model Test

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Eye irritation

Rabbit

Result: Irreversible effects on the eye

OECD Test Guideline 405

Causes serious eye damage.

Sensitisation

Maximisation Test Guinea pig

Result: Does not cause skin sensitisation.

Method: OECD Test Guideline 406

The value is given in analogy to the following substances: strontium chloride hexahydrate

Germ cell mutagenicity

Genotoxicity in vitro

In vitro mammalian cell gene mutation test

Mouse lymphoma test

Result: negative

Method: OECD Test Guideline 476

Mutagenicity (mammal cell test): chromosome aberration.

Human lymphocytes

Result: negative

Method: OECD Test Guideline 487

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

Teratogenicity

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Aspiration hazard

This information is not available.

11.2 Further information

After uptake:

Headache, Diarrhoea

The following applies to strontium compounds in general: only slightly absorbable via the gastrointestinal tract.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12. Ecological information

12.1 Toxicity

Toxicity to fish

static test LC50 Cyprinus carpio (Carp): > 97,5 mg/l; 96 h

Analytical monitoring: yes OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates

static test LC50 Daphnia magna (Water flea): 125 mg/l; 48 h

(ECHA)

Toxicity to algae

static test ErC50 Pseudokirchneriella subcapitata (green algae): > 104,7 mg/l; 72 h

OECD Test Guideline 201

Toxicity to bacteria

static test EC50 activated sludge: > 100 mg/l; 3 h

OECD Test Guideline 209

Toxicity to fish (Chronic toxicity)

flow-through test NOEC Danio rerio (zebra fish): >= 100 mg/l; 34 d

OECD Test Guideline 210

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC Daphnia magna (Water flea): 21 mg/l; 21 d OECD Test Guideline 211

12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water

log Pow: 0,19 (calculated)

(Lit.) Bioaccumulation is not expected.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

12.6 Other adverse effects

Additional ecological information

Biological effects:

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies.

Hazard for drinking water supplies.

Discharge into the environment must be avoided.

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

SECTION 13. Disposal considerations

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14. Transport information

Land transport (ADR/RID)

14.1 UN number UN 1507

14.2 Proper shipping name STRONTIUM NITRATE

14.3 Class 5.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

14.1 UN number UN 1507

14.2 Proper shipping name STRONTIUM NITRATE

14.3 Class 5.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for no

user

Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

14.1 UN number UN 1507

14.2 Proper shipping name STRONTIUM NITRATE

14.3 Class 5.1

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

EmS F-A S-Q

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

SECTION 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III

Legislation OXIDIZING LIQUIDS AND SOLIDS

Р8

Quantity 1: 50 t Quantity 2: 200 t

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of \geq 0.1 % (w/w).

National legislation

Storage class 5.1A

15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

SECTION 16. Other information

Full text of H-Statements referred to under sections 2 and 3.

H271 May cause fire or explosion; strong oxidizer.

H318 Causes serious eye damage.

Training advice

Provide adequate information, instruction and training for operators.

Labelling

Hazard pictograms





Signal word

Danger

Hazard statements

H271 May cause fire or explosion; strong oxidizer.

H318 Causes serious eye damage.

Precautionary statements

according to Regulation (EC) No. 1907/2006

Catalogue No. 107872

Product name Strontium nitrate for analysis EMSURE®

Prevention

P210 Keep away from heat.

P221 Take any precaution to avoid mixing with combustibles, heavy-metal compounds, acids and alkalis.

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: Strontium nitrate

Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.