

## SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Revision Date 16.12.2019

Version 7.2

**SECTION 1. Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Catalogue No.	801539
Product name	Butylamine for synthesis
REACH Registration Number	A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.
CAS-No.	109-73-9

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified uses	Chemical for synthesis For additional information on uses please refer to the Merck Chemicals portal ( <a href="http://www.merckgroup.com">www.merckgroup.com</a> ).
-----------------	---

**1.3 Details of the supplier of the safety data sheet**

Company	Merck KGaA * 64271 Darmstadt * Germany * Phone: +49 6151 72-0
Responsible Department	LS-QHC * e-mail: <a href="mailto:prodsafe@merckgroup.com">prodsafe@merckgroup.com</a>

**1.4 Emergency telephone number** **Please contact the regional company representation in your country.****SECTION 2. Hazards identification****2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Flammable liquid, Category 2, H225  
Acute toxicity, Category 4, Oral, H302  
Acute toxicity, Category 3, Inhalation, H331  
Acute toxicity, Category 3, Dermal, H311  
Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.  
Product name

801539  
Butylamine for synthesis

## 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

#### Hazard pictograms



Signal word  
Danger

#### Hazard statements

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H311 + H331 Toxic in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.

#### Precautionary statements

##### Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P233 Keep container tightly closed.  
P240 Ground/bond container and receiving equipment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

##### Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

##### Storage

P403 + P235 Store in a well-ventilated place. Keep cool.

### Reduced labelling ( $\leq 125$ ml)

#### Hazard pictograms



Signal word  
Danger

#### Hazard statements

H311 + H331 Toxic in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.

#### Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 801539  
Product name Butylamine for synthesis

---

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

Index-No. 612-005-00-0

## 2.3 Other hazards

None known.

---

## SECTION 3. Composition/information on ingredients

### 3.1 Substance

Formula	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>3</sub> NH <sub>2</sub>	C <sub>4</sub> H <sub>11</sub> N (Hill)
Index-No.	612-005-00-0	
EC-No.	203-699-2	
Molar mass	73,14 g/mol	

### Hazardous components (REGULATION (EC) No 1272/2008)

*Chemical name (Concentration)*

CAS-No.	Registration number	Classification
---------	---------------------	----------------

1-amino-n-butane (<= 100 % )

109-73-9 \*)

Flammable liquid, Category 2, H225  
Acute toxicity, Category 4, H302  
Acute toxicity, Category 3, H331  
Acute toxicity, Category 3, H311  
Skin corrosion, Category 1A, H314

\*) A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 3.2 Mixture

Not applicable

---

## SECTION 4. First aid measures

### 4.1 Description of first aid measures

*General advice*

First aider needs to protect himself.

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

---

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, Cough, Shortness of breath, Lung oedema  
Risk of blindness!

## 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

---

## SECTION 5. Firefighting measures

### 5.1 Extinguishing media

*Suitable extinguishing media*

Foam, Carbon dioxide (CO<sub>2</sub>), Dry powder

*Unsuitable extinguishing media*

For this substance/mixture no limitations of extinguishing agents are given.

### 5.2 Special hazards arising from the substance or mixture

Combustible.

Vapours are heavier than air and may spread along floors.

Forms explosive mixtures with air at ambient temperatures.

Pay attention to flashback.

Development of hazardous combustion gases or vapours possible in the event of fire.

Fire may cause evolution of:  
nitrogen oxides

### 5.3 Advice for firefighters

*Special protective equipment for firefighters*

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

*Further information*

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

---

## SECTION 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapours, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

---

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

## 6.4 Reference to other sections

Indications about waste treatment see section 13.

---

## SECTION 7. Handling and storage

### 7.1 Precautions for safe handling

#### *Advice on safe handling*

Observe label precautions.

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### *Advice on protection against fire and explosion*

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

#### *Hygiene measures*

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

### 7.2 Conditions for safe storage, including any incompatibilities

#### *Storage conditions*

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorised persons.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

---

## SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 801539  
Product name Butylamine for synthesis

---

## Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

### *Eye/face protection*

Tightly fitting safety goggles

### *Hand protection*

splash contact:

Glove material:	Viton (R)
Glove thickness:	0,70 mm
Break through time:	> 60 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 890 Vitoject® (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: [www.kcl.de](http://www.kcl.de)).

### *Other protective equipment*

Flame retardant antistatic protective clothing.

### *Respiratory protection*

required when vapours/aerosols are generated.

Recommended Filter type: Filter B (acc. to DIN 3181) for inorganic gases and vapours

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

## Environmental exposure controls

Do not let product enter drains.

Risk of explosion.

---

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	amine-like
Odour Threshold	No information available.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

---

pH	12,6 at 100 g/l 20 °C
Melting point	-50 °C
Boiling point/boiling range	76 - 78 °C at 1.013 hPa
Flash point	-12 °C
Evaporation rate	No information available.
Flammability (solid, gas)	No information available.
Lower explosion limit	1,5 %(V)
Upper explosion limit	9,8 %(V)
Vapour pressure	93 hPa at 20 °C
Relative vapour density	No information available.
Density	0,74 g/cm <sup>3</sup> at 20 °C
Relative density	No information available.
Water solubility	at 20 °C soluble
Partition coefficient: n-octanol/water	log Pow: 0,81 (experimental) (External MSDS) Bioaccumulation is not expected.
Auto-ignition temperature	No information available.
Decomposition temperature	No information available.
Viscosity, dynamic	0,5 mPa.s at 20 °C
Explosive properties	Not classified as explosive.
Oxidizing properties	none

## 9.2 Other data

Ignition temperature	290 °C Method: DIN 51794
----------------------	-----------------------------

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 801539  
Product name Butylamine for synthesis

---

## SECTION 10. Stability and reactivity

### 10.1 Reactivity

Vapours may form explosive mixture with air.

### 10.2 Chemical stability

Sensitive to air.

### 10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

Violent reactions possible with:

phenols, Acid anhydrides, acid halides, acids

Exothermic reaction with:

Oxidizing agents

### 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

various plastics, Copper, copper compounds, Light metals

### 10.6 Hazardous decomposition products

in the event of fire: See section 5.

---

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects

*Acute oral toxicity*

LD50 Rat: 371,8 mg/kg

OECD Test Guideline 401

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach.

*Acute inhalation toxicity*

LC50 Rat: 4,2 mg/l; 4 h ; vapour

OECD Test Guideline 403

Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, Lung oedema, damage of respiratory tract

*Acute dermal toxicity*

LD50 Rabbit: 625 mg/kg

(RTECS)

*Skin irritation*

Rabbit

Result: Causes burns.

OECD Test Guideline 404

Causes severe burns.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

---

## *Eye irritation*

Rabbit

Result: Causes serious eye damage.

(ECHA)

Causes serious eye damage.

Risk of blindness!

## *Sensitisation*

Sensitisation test: Guinea pig

Result: negative

Method: OECD Test Guideline 406

## *Germ cell mutagenicity*

*Genotoxicity in vitro*

Mutagenicity (mammal cell test): micronucleus.

Result: negative

(hydrochloride) (External MSDS)

Ames test

Result: negative

(External MSDS)

## *Carcinogenicity*

This information is not available.

## *Reproductive toxicity*

This information is not available.

## *Teratogenicity*

This information is not available.

## *Specific target organ toxicity - single exposure*

This information is not available.

## *Specific target organ toxicity - repeated exposure*

This information is not available.

## *Aspiration hazard*

This information is not available.

### **11.2 Further information**

Absorption can result in damage to:

Liver, Kidney

The following applies to aliphatic amines in general: irritations after contact with eyes and skin. Mucosal irritations, coughing, and dyspnoea after inhalation. Under given conditions, contact with nitrites or nitric acid can lead to the formation of nitrosamines, which have shown themselves to be carcinogenic in animal experiments.

This substance should be handled with particular care.

Handle in accordance with good industrial hygiene and safety practice.

---

## **SECTION 12. Ecological information**

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

---

## 12.1 Toxicity

### *Toxicity to fish*

LC50 *Lepomis macrochirus* (Bluegill sunfish): 23,7 mg/l; 96 h  
(External MSDS)

### *Toxicity to daphnia and other aquatic invertebrates*

EC50 *Daphnia magna* (Water flea): 43 - 75 mg/l; 24 h  
(External MSDS)

semi-static test NOEC *Ceriodaphnia dubia* (water flea): 1,5 mg/l; 7 d

### *Toxicity to bacteria*

EC5 *Pseudomonas putida*: 800 mg/l; 16 h  
(IUCLID)

## 12.2 Persistence and degradability

### *Biodegradability*

> 70 %

(External MSDS)

Readily biodegradable

### *Biochemical Oxygen Demand (BOD)*

1.800 mg/g (5 d)

(External MSDS)

### *Chemical Oxygen Demand (COD)*

2.430 mg/g

(External MSDS)

## 12.3 Bioaccumulative potential

### *Partition coefficient: n-octanol/water*

log Pow: 0,81

(experimental)

(External MSDS) Bioaccumulation is not expected.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 12.6 Other adverse effects

### *Additional ecological information*

Discharge into the environment must be avoided.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 801539  
Product name Butylamine for synthesis

---

---

## SECTION 13. Disposal considerations

### *Waste treatment methods*

See [www.retrologistik.com](http://www.retrologistik.com) for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

---

## SECTION 14. Transport information

### Land transport (ADR/RID)

<b>14.1 UN number</b>	UN 1125
<b>14.2 Proper shipping name</b>	N-BUTYLAMINE
<b>14.3 Class</b>	3 (8)
<b>14.4 Packing group</b>	II
<b>14.5 Environmentally hazardous</b>	--
<b>14.6 Special precautions for user</b>	yes
Tunnel restriction code	D/E

### Inland waterway transport (ADN)

Not relevant

### Air transport (IATA)

<b>14.1 UN number</b>	UN 1125
<b>14.2 Proper shipping name</b>	N-BUTYLAMINE
<b>14.3 Class</b>	3 (8)
<b>14.4 Packing group</b>	II
<b>14.5 Environmentally hazardous</b>	--
<b>14.6 Special precautions for user</b>	no

### Sea transport (IMDG)

<b>14.1 UN number</b>	UN 1125
<b>14.2 Proper shipping name</b>	N-BUTYLAMINE
<b>14.3 Class</b>	3 (8)
<b>14.4 Packing group</b>	II
<b>14.5 Environmentally hazardous</b>	--
<b>14.6 Special precautions for user</b>	yes
EmS	F-E S-C

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

## 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### *EU regulations*

Major Accident Hazard Legislation	SEVESO III ACUTE TOXIC H2 Quantity 1: 50 t Quantity 2: 200 t  SEVESO III FLAMMABLE LIQUIDS P5c Quantity 1: 5.000 t Quantity 2: 50.000 t
-----------------------------------	---

Occupational restrictions	Take note of Dir 94/33/EC on the protection of young people at work. Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.
---------------------------	---

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer not regulated

Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC	not regulated
---	---------------

Substances of very high concern (SVHC)	This product does not contain substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of $\geq 0.1\%$ (w/w).
--	--

#### *National legislation*

Storage class	3
---------------	---

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No. 801539  
Product name Butylamine for synthesis

---

## SECTION 16. Other information

### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H331	Toxic if inhaled.

### Training advice

Provide adequate information, instruction and training for operators.

### Labelling

*Hazard pictograms*



*Signal word*

Danger

*Hazard statements*

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H311 + H331 Toxic in contact with skin or if inhaled.  
H314 Causes severe skin burns and eye damage.

*Precautionary statements*

Prevention

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P240 Ground/bond container and receiving equipment.  
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/physician.

Storage

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

**Key or legend to abbreviations and acronyms used in the safety data sheet**

Page 13 of 14

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Catalogue No.	801539
Product name	Butylamine for synthesis

---

Used abbreviations and acronyms can be looked up at [www.wikipedia.org](http://www.wikipedia.org).

## **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

---

*The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.*

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact [mlsbranding@sial.com](mailto:mlsbranding@sial.com).