

according to Regulation (EC) No. 1907/2006

Revision Date 28.05.2020

Version 11.3

## SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

REACH Registration

Number

01-2119979577-14-XXXX

CAS-No. 7784-27-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Materials for use in technical applications

For additional information on uses please refer to the Merck

Chemicals portal (www.merckgroup.com).

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49

6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

1.4 Emergency telephone Please contact the regional company representation in

number your country.

#### **SECTION 2. Hazards identification**

# 2.1 Classification of the substance or mixture Classification (REGULATION (EC) No 1272/2008)

Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word



according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

Danger

Hazard statements

H318 Causes serious eye damage.

Precautionary statements

Prevention

P280 Wear eye protection.

Response

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P313 Get medical advice/ attention.

Contains: Aluminium nitrate nonahydrate

CAS-No. 7784-27-2

#### 2.3 Other hazards

None known.

## **SECTION 3. Composition/information on ingredients**

Chemical nature Aluminium nitrate nonahydrate

3.1 Substance

Formula  $AI(NO_3)_3 * 9 H_2O$   $AIN_3O_9 * 9 H_2O$  (Hill)

EC-No. 236-751-8 Molar mass 375,13 g/mol

## Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration Classification

number

Aluminium nitrate nonahydrate (<= 100 %)

7784-27-2 01-2119979577-

14-XXXX Serious eye damage, Category 1, H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 3.2 Mixture

Not applicable

#### **SECTION 4. First aid measures**

# 4.1 Description of first aid measures

After inhalation: fresh air.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

MERCK

according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

Cough, Nausea, Vomiting, CNS disorders

The following applies to aluminium compounds in general: After swallowing: only slightly absorbable via the gastrointestinal tract. Serious disorders in man (from about 4000 mg aluminium up): phosphate metabolism, calcium metabolism. The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Irritation and corrosion

Risk of serious damage to eyes.

# 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

# **SECTION 5. Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

Fire may cause evolution of:

nitrous gases, nitrogen oxides

## 5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire, wear self-contained breathing apparatus.

Further information

Suppress (knock down) gases/vapours/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6. Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders:

Protective equipment see section 8.

MERCK

according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

## **SECTION 7. Handling and storage**

# 7.1 Precautions for safe handling

Advice on safe handling Observe label precautions.

Hygiene measures

Change contaminated clothing. Wash hands after working with substance.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Do not store near combustible materials.

Recommended storage temperature see product label.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

#### **SECTION 8. Exposure controls/personal protection**

# 8.1 Control parameters

#### 8.2 Exposure controls

## **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

## **Individual protection measures**

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber

Page 4 of 11



# according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

Glove thickness: 0,11 mm Break through time: 480 min

splash contact:

Glove material: Nitrile rubber Glove thickness: 0,11 mm Break through time: 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

The breakthrough times stated above were determined by KCL in laboratory tests acc. to EN374 with samples of the recommended glove types.

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment protective clothing

Respiratory protection

required when dusts are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Environmental exposure controls**

Do not let product enter drains.

# **SECTION 9. Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form solid

Colour colourless

Odour of nitric acid

Odour Threshold No information available.

pH 2,0 - 4,0

at 50 g/l 20 °C

Melting point 73 °C

Boiling point/boiling range 135 °C

(decomposition)

Merck

# according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

Flash point does not flash

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit Not applicable

Upper explosion limit Not applicable

Vapour pressure No information available.

Relative vapour density No information available.

Density 1,72 g/cm3

at 20 °C

Relative density No information available.

Water solubility 41,9 g/l

at 20 °C

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature No information available.

Decomposition temperature 135 °C

Viscosity, dynamic No information available.

Explosive properties Not classified as explosive.

Oxidizing properties none

9.2 Other data

Ignition temperature Not applicable

Bulk density ca.880 kg/m3

#### **SECTION 10. Stability and reactivity**

# 10.1 Reactivity

See section 10.3

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

# 10.3 Possibility of hazardous reactions

Risk of explosion with:



according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

Reducing agents, Cyanides, Esters, Strong acids, Isocyanates, Powdered metals,

sulfur

#### 10.4 Conditions to avoid

Strong heating (decomposition).

## 10.5 Incompatible materials

various metals, Mild steel

## 10.6 Hazardous decomposition products

in the event of fire: See section 5.

# **SECTION 11. Toxicological information**

## 11.1 Information on toxicological effects

Acute oral toxicity

LD50 Rat: 3.263 mg/kg OECD Test Guideline 401

Acute inhalation toxicity

Symptoms: Possible damages:, mucosal irritations, Cough

Acute dermal toxicity

This information is not available.

Skin irritation

Rabbit

Result: No irritation OECD Test Guideline 404

The value is given in analogy to the following substances: Aluminium nitrate

Eye irritation

Rabbit

Result: Causes serious eye damage.

OECD Test Guideline 405

The value is given in analogy to the following substances: Aluminium nitrate

Causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

**Teratogenicity** 

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Merck

# according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

#### 11.2 Further information

After absorption:

CNS disorders, Methaemoglobinemia, Nausea, Vomiting

The following applies to aluminium compounds in general: After swallowing: only slightly absorbable via the gastrointestinal tract. Serious disorders in man (from about 4000 mg aluminium up): phosphate metabolism, calcium metabolism.

The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12. Ecological information**

## 12.1 Toxicity

Toxicity to fish

semi-static test LC50 Danio rerio (zebra fish): > 0,105 mg/l; 96 h

Analytical monitoring: yes OECD Test Guideline 203

(above the solubility limit in the test medium) The value is given in analogy to the

following substances: aluminium sulfate tetradecahydrate

Toxicity to bacteria

static test EC50 activated sludge: > 1.000 mg/l; 3 h

OECD Test Guideline 209

The value is given in analogy to the following substances: aluminium(III) chloride,

anhydrous

#### 12.2 Persistence and degradability

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

## 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

# 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

## 12.6 Other adverse effects

Additional ecological information

Hazard for drinking water supplies.

Discharge into the environment must be avoided.



according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

#### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14. Transport information**

## Land transport (ADR/RID)

**14.1 UN number** UN 1438

**14.2 Proper shipping** ALUMINIUM NITRATE

name

**14.3 Class** 5.1 **14.4 Packing group** III **14.5 Environmentally** -- hazardous

14.6 Special precautions yes

for user

Tunnel restriction code E

# Inland waterway transport (ADN)

Not relevant

Air transport (IATA)

**14.1 UN number** UN 1438

**14.2 Proper shipping** ALUMINIUM NITRATE

name

14.3 Class 5.1 14.4 Packing group III 14.5 Environmentally -hazardous

14.6 Special precautions no

for user

Sea transport (IMDG)

**14.1 UN number** UN 1438

**14.2 Proper shipping** ALUMINIUM NITRATE

name

**14.3 Class** 5.1 **14.4 Packing group** III **14.5 Environmentally** --

hazardous

14.6 Special precautions yes

for user

EmS F-A S-Q

MERCK

according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## **SECTION 15. Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young

people at work.

Regulation (EC) No 1005/2009 on substances not regulated

that deplete the ozone layer

Regulation (EC) No 850/2004 of the not regulated

European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC

Substances of very high concern (SVHC)

This product does not contain

substances of very high concern according to Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory concentration limit of  $\geq 0.1$  %

(w/w).

National legislation

Storage class 5.1B

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

#### **SECTION 16. Other information**

# Full text of H-Statements referred to under sections 2 and 3.

H318 Causes serious eye damage.

# Training advice

Provide adequate information, instruction and training for operators.



# according to Regulation (EC) No. 1907/2006

Catalogue No. 101086

Product name Aluminium nitrate nonahydrate EMPLURA®

#### Labelling

Hazard pictograms



Signal word Danger

Hazard statements H318 Causes serious eye damage.

Precautionary statements
Prevention
P280 Wear eye protection.
Response
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue rinsing.
P313 Get medical advice/ attention.

Contains: Aluminium nitrate nonahydrate

#### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

#### **Regional representation**

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

