

according to Regulation (EC) No. 1907/2006

Revision Date 28.07.2017

Version 8.2

# SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

**Titrisol®** 

REACH Registration Number This product is a mixture. REACH Registration Number see section 3.

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses Reagent for analysis

For additional information on uses please refer to the Merck Chemicals

portal (www.merckgroup.com).

# 1.3 Details of the supplier of the safety data sheet

Company Merck KGaA \* 64271 Darmstadt \* Germany \* Phone: +49 6151 72-0

Responsible Department LS-QHC \* e-mail: prodsafe@merckgroup.com

### 1.4 Emergency telephone

number

Please contact the regional company representation in your country.

#### **SECTION 2. Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1, H290

Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

# Hazard pictograms



Signal word

Danger

#### Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

### Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

### Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

### Reduced labelling (≤125 ml)

Hazard pictograms



Signal word

Danger

Hazard statements

H314 Causes severe skin burns and eye damage.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

Precautionary statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

#### 2.3 Other hazards

None known.

#### SECTION 3. Composition/information on ingredients

Chemical nature Aqueous solution

#### 3.1 Substance

Not applicable

#### 3.2 Mixture

### Hazardous components (REGULATION (EC) No 1272/2008)

Chemical name (Concentration)

CAS-No. Registration number Classification

potassium hydroxide (>= 10 % - < 20 % )
PBT/vPvB: Not applicable for inorganic substances

1310-58-3 01-2119487136-33-

XXXX Corrosive to metals, Category 1, H290

Acute toxicity, Category 4, H302 Skin corrosion, Category 1A, H314

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4. First aid measures**

# 4.1 Description of first aid measures

General advice

First aider needs to protect himself.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

After inhalation: fresh air. Get medical attention.

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician immediately.

After eye contact: rinse out with plenty of water. Remove contact lenses. Immediately call in ophthalmologist.

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

Irritation and corrosion, pain, collapse

Risk of corneal clouding.

Drying-out effect resulting in rough and chapped skin.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available.

#### **SECTION 5. Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Not combustible.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

**Titrisol®** 

Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid substance contact. Do not breathe vapours, aerosols. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

Advice for emergency responders: Protective equipment see section 8.

#### 6.2 Environmental precautions

Do not empty into drains.

#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

Observe possible material restrictions (see sections 7 and 10).

Take up with liquid-absorbent and neutralising material (e.g. Chemizorb® OH⁻, Merck Art. No.

101596). Dispose of properly. Clean up affected area.

#### 6.4 Reference to other sections

Indications about waste treatment see section 13.

#### SECTION 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling

Observe label precautions.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

#### 7.2 Conditions for safe storage, including any incompatibilities

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

Requirements for storage areas and containers

No aluminium, tin, or zinc containers.

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

# SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

# Derived No Effect Level (DNEL)

potassium hydroxide (1310-58-3)

Worker DNEL, Local effects inhalation 1 mg/m<sup>3</sup>

longterm

Consumer DNEL, Local effects inhalation 1 mg/m³

longterm

### Predicted No Effect Concentration (PNEC)

potassium hydroxide (1310-58-3)

PNEC no data available

### 8.2 Exposure controls

#### **Engineering measures**

Technical measures and appropriate working operations should be given priority over the use of personal protective equipment.

See section 7.1.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

#### Individual protection measures

Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of the hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the respective supplier.

Eye/face protection

Tightly fitting safety goggles

Hand protection

full contact:

Glove material: Nitrile rubber

Glove thickness: 0,11 mm

Break through time: > 480 min

splash contact:

Glove material: Nitrile rubber
Glove thickness: 0,11 mm
Break through time: > 480 min

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374, for example KCL 741 Dermatril® L (full contact), KCL 741 Dermatril® L (splash contact).

This recommendation applies only to the product stated in the safety data sheet<(>,<)> supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Other protective equipment

protective clothing

Respiratory protection

required when vapours/aerosols are generated.

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

**Titrisol®** 

#### Environmental exposure controls

Do not empty into drains.

### SECTION 9. Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Form liquid

Colour colourless

Odour odourless

Odour Threshold Not applicable

pH ca. 14

at 20 °C

Melting point No information available.

Boiling point No information available.

Flash point Not applicable

Evaporation rate No information available.

Flammability (solid, gas) No information available.

Lower explosion limit No information available.

Upper explosion limit No information available.

Vapour pressure No information available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

Relative vapour density No information available.

Density 1,09 g/cm3

at 20 °C

Relative density No information available.

Water solubility at 20 °C

soluble

Partition coefficient: n-

octanol/water

No information available.

Auto-ignition temperature

No information available.

Decomposition temperature

No information available.

Viscosity, dynamic

No information available.

Explosive properties

Not classified as explosive.

Oxidizing properties

none

9.2 Other data

Corrosion

May be corrosive to metals.

#### SECTION 10. Stability and reactivity

### 10.1 Reactivity

See section 10.3

### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

Risk of explosion with:

Violent reactions possible with:

azides, Strong acids, anhydrides, Hydrocarbons, nonmetallic oxides, phosphorus, organic nitro compounds, halogen oxides, nonmetallic oxyhalides, Halogenated hydrocarbon, halogen-halogen compounds, halogens, Alkaline earth metals, ammonium compounds, Light metals, Metals

Gives off hydrogen by reaction with metals.

#### 10.4 Conditions to avoid

no information available

#### 10.5 Incompatible materials

animal/vegetable tissues, glass, various plastics, Metals

#### 10.6 Hazardous decomposition products

no information available

### **SECTION 11. Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

Acute oral toxicity

Symptoms: If ingested, severe burns of the mouth and throat, as well as a danger of perforation of the oesophagus and the stomach., Pain, shock, Vomiting, oedema, collapse, death

Acute toxicity estimate: > 2.000 mg/kg

Calculation method

Acute inhalation toxicity

Symptoms: burns of mucous membranes, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract.

Acute dermal toxicity

This information is not available.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

Skin irritation

Drying-out effect resulting in rough and chapped skin.

Mixture causes severe burns.

Eye irritation

Risk of corneal clouding. Risk of blindness!

Mixture causes serious eye damage.

Sensitisation

This information is not available.

Germ cell mutagenicity

This information is not available.

Carcinogenicity

This information is not available.

Reproductive toxicity

This information is not available.

**Teratogenicity** 

This information is not available.

Specific target organ toxicity - single exposure

This information is not available.

Specific target organ toxicity - repeated exposure

This information is not available.

Aspiration hazard

This information is not available.

# 11.2 Further information

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

### Components

potassium hydroxide

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

**Titrisol®** 

Acute oral toxicity

LD50 Rat: 333 mg/kg

OECD Test Guideline 425

Skin irritation

Rabbit

Result: Causes burns.

(IUCLID)

In vitro study Result: Corrosive

**OECD Test Guideline 431** 

Eye irritation

Rabbit

Result: Causes serious eye damage.

OECD Test Guideline 405

Sensitisation

Sensitisation test: Guinea pig

Result: negative

(IUCLID)

Germ cell mutagenicity

Genotoxicity in vitro

Ames test

Escherichia coli/Salmonella typhimurium

Result: negative

(IUCLID)

### **SECTION 12. Ecological information**

#### **Mixture**

#### 12.1 Toxicity

No information available.

### 12.2 Persistence and degradability

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

#### Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Substance(s) in the mixture do(es) not meet the criteria for PBT or vPvB according to Regulation (EC) No 1907/2006, Annex XIII, or a PBT/vPvB assessment was not conducted.

#### 12.6 Other adverse effects

Additional ecological information

Biological effects:

Harmful effect due to pH shift. Forms corrosive mixtures with water even if diluted.

Neutralisation possible in waste water treatment plants.

Discharge into the environment must be avoided.

### Components

### potassium hydroxide

Toxicity to fish

LC50 Gambusia affinis (Mosquito fish): 80 mg/l; 96 h
(IUCLID)

Biodegradability

The methods for determining the biological degradability are not applicable to inorganic substances.

Partition coefficient: n-octanol/water

Not applicable

PBT/vPvB: Not applicable for inorganic substances

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

### **SECTION 13. Disposal considerations**

Waste treatment methods

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14. Transport information**

Land transport (ADR/RID)

**14.1 UN number** UN 1814

14.2 Proper shipping name POTASSIUM HYDROXIDE SOLUTION

**14.3 Class** 8

14.4 Packing group

14.5 Environmentally hazardous --

14.6 Special precautions for yes

user

Tunnel restriction code E

#### Inland waterway transport (ADN)

Not relevant

#### Air transport (IATA)

**14.1 UN number** UN 1814

14.2 Proper shipping name POTASSIUM HYDROXIDE SOLUTION

**14.3 Class** 8

14.4 Packing group

14.5 Environmentally hazardous --

**14.6 Special precautions for** no

user

Sea transport (IMDG)

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

**14.1 UN number** UN 1814

14.2 Proper shipping name POTASSIUM HYDROXIDE SOLUTION

**14.3 Class** 8

14.4 Packing group

14.5 Environmentally hazardous --

**14.6 Special precautions for** yes

user

EmS F-A S-B

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not relevant

## **SECTION 15. Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Major Accident Hazard SEVESO III
Legislation Not applicable

Occupational restrictions Take note of Dir 94/33/EC on the protection of young people at

work. Take note of Dir 92/85/EEC on the safety and health at work

of pregnant workers.

Regulation (EC) No 1005/2009 on substances that not regulated

deplete the ozone layer

Regulation (EC) No 850/2004 of the European not regulated

Parliament and of the Council of 29 April 2004 on

persistent organic pollutants and amending

Directive 79/117/EEC

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

Substances of very high concern (SVHC)

This product does not contain substances

of very high concern according to

Regulation (EC) No 1907/2006 (REACH), Article 57 above the respective regulatory

concentration limit of  $\geq 0.1 \%$  (w/w).

National legislation

Storage class 8B

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out.

### **SECTION 16. Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

### Training advice

Provide adequate information, instruction and training for operators.

### Labelling

Hazard pictograms



Signal word

Danger

Hazard statements

H290 May be corrosive to metals.

# according to Regulation (EC) No. 1907/2006

Catalogue No. 109921

Product name Potassium hydroxide solution for 1000 ml, c(KOH) = 0.1 mol/l (0.1 N)

Titrisol®

H314 Causes severe skin burns and eye damage.

#### Precautionary statements

Prevention

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P308 + P310 IF exposed or concerned: immediately call a POISON CENTER or doctor/ physician.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Used abbreviations and acronyms can be looked up at www.wikipedia.org.

### Regional representation

This information is given on the authorised Safety Data Sheet for your country.

The information contained herein is based on the present state of our knowledge. It characterises the product with regard to the appropriate safety precautions. It does not represent a guarantee of any properties of the product.