

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.7 Revision Date 09.12.2022 Print Date 12.06.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifiers

Product name : Ammonium carbonate for analysis EMSURE®

ACS, Reag. Ph Eur

Product Number : 1.59504 Catalogue No. : 159504 Brand : Millipore

UFI : 7Y50-Y6WX-C99G-G7MM

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

#### 1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Millipore- 1.59504 Page 1 of 13



Pictogram



Signal Word Danger

Hazard statement(s)

H302 Harmful if swallowed. H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statement(s)

P264 Wash skin thoroughly after handling.

P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P332 + P313 If skin irritation occurs: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard statement(s)

H318 Causes serious eye damage.

Precautionary statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Component		Classification	Concentration	
ammonium hydrogen carbonate				
CAS-No. EC-No. Registration number	1066-33-7 213-911-5 01-2119486970-26-	Acute Tox. 4; H302	>= 50 - < 70 %	
number	XXXX XXXX			

Millipore- 1.59504 Page 2 of 13



ammonium carbamate					
CAS-No.	1111-78-0	Acute Tox. 4; Skin Irrit. 2; >= 50 - <	< 70		
EC-No.	214-185-2	Eye Dam. 1; H302, H315,			
	*				

<sup>\*</sup>A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

# In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

# In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

# Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

# Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NOx)

Not combustible.

Fire may cause evolution of:

nitrogen oxides, Ammonia

Millipore- 1.59504 Page 3 of 13



Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

# 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

# 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

#### **Storage conditions**

Tightly closed. Dry.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 13: Non Combustible Solids

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Millipore- 1.59504 Page 4 of 13



# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

**Ingredients with workplace control parameters** 

# 8.2 Exposure controls

# Personal protective equipment

# Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

### Skin protection

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: > 480 min Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: > 480 min Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

# **Respiratory protection**

Recommended Filter type: Filter P 2 (acc. to DIN 3181) for solid and liquid particles of harmful substances

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P2

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Millipore- 1.59504 Page 5 of 13



# Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Physical state solid

b) Color colorless

c) Odor ammoniacal

d) Melting No data available

point/freezing point

e) Initial boiling point Not applicable

and boiling range

f) Flammability (solid, The product is not flammable.

gas)

g) Upper/lower No data available flammability or explosive limits

h) Flash point does not flashNot applicable

i) Autoignition Not applicable temperature

j) Decomposition

temperature

k) pH 9,4 at 100 g/l at 20 °C

I) Viscosity Viscosity, kinematic: No data available

> 59 °C

Viscosity, dynamic: No data available

m) Water solubility 320 g/l at 20 °C n) Partition coefficient: No data available

n-octanol/water

o) Vapor pressure 69 hPa at 20 °C

p) Density No data availableRelative density No data available

q) Relative vapor

density

No data available

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties none

# 9.2 Other safety information

No data available

Millipore- 1.59504 Page 6 of 13



# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

No data available

#### 10.2 Chemical stability

heat-sensitive

The product is chemically stable under standard ambient conditions (room temperature) .

### 10.3 Possibility of hazardous reactions

Exothermic reaction with:

nitrates

nitrites

Acids

alkalines

Bases

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines!

#### 10.4 Conditions to avoid

Heating (decomposition). no information available

# 10.5 Incompatible materials

No data available

## 10.6 Hazardous decomposition products

In the event of fire: see section 5

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Mixture**

#### **Acute toxicity**

LD50 Oral - Rat - > 1.800 - < 2.150 mg/kg

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Symptoms: Possible symptoms:, mucosal irritations

LD50 Dermal - Rat - > 2.000 mg/kg

# Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

# Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

# Respiratory or skin sensitization

No data available

# Germ cell mutagenicity

No data available

# Carcinogenicity

No data available

#### Reproductive toxicity

No data available

Millipore- 1.59504 Page 7 of 13



# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

#### 11.2 Additional Information

# **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

# Components

# ammonium hydrogen carbonate

# **Acute toxicity**

LD50 Oral - Rat - male and female - 1.576 mg/kg

(OECD Test Guideline 401)

Remarks: (ECHA)

Acute toxicity estimate Oral - 1.576 mg/kg (ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4,5 h - > 4,74 mg/l - dust/mist

(US-EPA)

Remarks: (ECHA)

(in analogy to similar products)

The value is given in analogy to the following substances: sodium hydrogencarbonate

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 434)

Remarks: (ECHA)

(in analogy to similar products)

The value is given in analogy to the following substances: ammonium sulphate

# Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation (OECD Test Guideline 431)

Remarks: (ECHA)

# Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(US-EPA)

Remarks: (ECHA)

(in analogy to similar products)

The value is given in analogy to the following substances: sodium hydrogencarbonate

A

# Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: negative

(US-EPA)

Remarks: (ECHA)

(in analogy to similar products)

The value is given in analogy to the following substances: ammonium chloride

# **Germ cell mutagenicity**

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative Remarks: (ECHA)

Method: OECD Test Guideline 474

Species: Mouse - male Result: negative Remarks: (ECHA)

(in analogy to similar products)

The value is given in analogy to the following substances: ammonium chloride

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# ammonium carbamate

#### **Acute toxicity**

LD50 Oral - Rat - 681 - 1.470 mg/kg

(OECD Test Guideline 401) Inhalation: No data available Dermal: No data available

# Skin corrosion/irritation

Skin - in vitro test

Result: Irritating to skin.

(EPISKIN Human Skin Model Test)

# Serious eye damage/eye irritation

Eyes - In vitro study

Result: Risk of serious damage to eyes.

# Respiratory or skin sensitization

No data available

#### **Germ cell mutagenicity**

No data available

Millipore- 1.59504 Page 9 of 13

# Carcinogenicity

No data available

# Reproductive toxicity

No data available

# Specific target organ toxicity - single exposure

No data available

# Specific target organ toxicity - repeated exposure

No data available

# **Aspiration hazard**

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

#### **Mixture**

No data available

# 12.2 Persistence and degradability

No data available

# 12.3 Bioaccumulative potential

No data available

# 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

# **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### 12.7 Other adverse effects

No data available

#### **Components**

# ammonium hydrogen carbonate

Toxicity to fish LC50 - Oncorhynchus mykiss (rainbow trout) - 173 mg/l - 96 h

Remarks: (ECOTOX Database)

LC50 - Oncorhynchus mykiss (rainbow trout) - 98,3 mg/l - 96

n

Remarks: (ECOTOX Database)

Millipore- 1.59504 Page 10 of 13

ammonium carbamate

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 37 mg/l - 96

h

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 63 mg/l - 48 h

Toxicity to algae EC50 - Desmodesmus subspicatus (green algae) - 129,1 mg/l -

72 h

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

# **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

#### 14.6 Special precautions for user

# **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Millipore- 1.59504 Page 11 of 13



Take note of Dir 94/33/EC on the protection of young people at work.

# 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### SECTION 16: Other information

# Full text of H-Statements referred to under sections 2 and 3.

H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of th	e mixture	Classification procedure:	
Acute Tox.4	H302	Based on product data or assessment	
Skin Irrit.2	H315	Calculation method	
Eye Dam.1	H318	Calculation method	

Millipore- 1.59504 Page 12 of 13



#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.59504 Page 13 of 13



The life science business of Merck operates as MilliporeSigma in the US and Canada