

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 9.1 Revision Date 08.11.2024 Print Date 23.11.2024

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Potassium dichromate

Product Number : P2588
Brand : SIGALD

Index-No. : 024-002-00-6

REACH No. : 01-2119454792-32-XXXX

CAS-No. : 7778-50-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Scientific research and development

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Chemie GmbH

Eschenstrasse 5

D-82024 TAUFKIRCHEN

Telephone : +49 (0)89 6513-1130 Fax : +49 (0)89 6513-1161

E-mail address : technischerservice@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland)

+49 (0)696 43508409 (CHEMTREC

weltweit)

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Oxidizing solids, (Category 2) H272: May intensify fire; oxidizer.

Acute toxicity, (Category 3) H301: Toxic if swallowed.

Acute toxicity, (Category 2) H330: Fatal if inhaled.

Acute toxicity, (Category 4) H312: Harmful in contact with skin.

Skin corrosion, (Sub-category H314: Causes severe skin burns and eye

1B) damage.

SIGALD- P2588 Page 1 of 14



Serious eye damage, (Category H318: Causes serious eye damage. 1) Respiratory sensitization, H334: May cause allergy or asthma (Category 1) symptoms or breathing difficulties if inhaled. Skin sensitization, (Category 1) H317: May cause an allergic skin reaction. Germ cell mutagenicity, H340: May cause genetic defects. (Category 1B) Carcinogenicity, (Category 1B) H350: May cause cancer. Reproductive toxicity, (Category H360FD: May damage fertility. May damage the unborn child.

1B) damage the unborn child.

Specific target organ toxicity - H335: May cause respiratory irritation.

Specific target organ toxicity - single exposure, (Category 3), Respiratory system

espiratory system

Specific target organ toxicity - repeated exposure, (Category 1), Cardio-vascular system

H372: Causes damage to organs through prolonged or repeated exposure if inhaled.

Short-term (acute) aquatic hazard, (Category 1)

H400: Very toxic to aquatic life.

Long-term (chronic) aquatic hazard, (Category 1)

H410: Very toxic to aquatic life with long lasting effects.

## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word	Danger
-------------	--------

Hazard Statements
H272 May intensify fire; oxidizer.
H301 Toxic if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H330 Fatal if inhaled.
H334 May cause allergy or asthma symptoms or h

H334 May cause allergy or asthma symptoms or breathing difficulties

if inhaled.

H335 May cause respiratory irritation. H340 May cause genetic defects.

H350 May cause cancer.

H360FD May damage fertility. May damage the unborn child.

H372 Causes damage to organs (Cardio-vascular system) through

prolonged or repeated exposure if inhaled.

H410 Very toxic to aquatic life with long lasting effects.

A

SIGALD- P2588 Page 2 of 14

Precautionary Statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

Restricted to professional users.

# Reduced Labeling (<= 125 ml)

<b>&gt;</b>		

	$\vee$ $\vee$ $\vee$ $\vee$ $\vee$
Signal Word	Danger
Hazard Statements	
H301	Toxic if swallowed.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H317	May cause an allergic skin reaction.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H314	Causes severe skin burns and eye damage.
H360FD	May damage fertility. May damage the unborn child.
Precautionary Statements	
P260	Do not breathe dust.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

# 2.3 Other hazards

Statements

Supplemental Hazard

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SIGALD- P2588 Page 3 of 14



none

## Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : Potassium bichromate

Component		Classification	Concentration
-	ate Included in the Cand Regulation (EC) No. 190	didate List of Substances of Very 7/2006 (REACH)	High Concern
	7778-50-9 231-906-6 024-002-00-6	Ox. Sol. 2; Acute Tox. 3; Acute Tox. 2; Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; Muta. 1B; Carc. 1B; Repr. 1B; STOT SE 3; STOT RE 1; Aquatic Acute 1; Aquatic Chronic 1; H272, H301, H330, H312, H314, H318, H334, H317, H340, H350, H360FD, H335, H372, H400, H410 Concentration limits: >= 5 %: STOT SE 3, H335; M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

#### **General advice**

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

SIGALD- P2588 Page 4 of 14

Por S

The life science business of Merck operates as MilliporeSigma in the US and Canada

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

#### If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Potassium oxides

Chromium oxides

Not combustible.

Has a fire-promoting effect due to release of oxygen.

Ambient fire may liberate hazardous vapours.

#### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

#### 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

SIGALD- P2588 Page 5 of 14



#### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

## 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### Advice on protection against fire and explosion

Keep away from open flames, hot surfaces and sources of ignition.

### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Tightly closed. Keep locked up or in an area accessible only to qualified or authorized persons. Do not store near combustible materials.

#### Storage class

Storage class (TRGS 510): 5.1B: Oxidizing hazardous materials

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

**Ingredients with workplace control parameters** 

# 8.2 Exposure controls

Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact

Material: Nitrile rubber

SIGALD- P2588 Page 6 of 14



Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN 16523-1 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell,

Internet: www.kcl.de).

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,11 mm Break through time: 480 min

Material tested: KCL 741 Dermatril® L

# **Body Protection**

protective clothing

## **Respiratory protection**

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

### **Control of environmental exposure**

Do not let product enter drains.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Physical state crystallineb) Color orangec) Odor odorless

d) Melting Melting point/ range: 398 °C - lit.

point/freezing point

e) Initial boiling point > 500 °C at 1.013 hPa - Decomposition and boiling range

f) Flammability (solid, No data available

gas)

g) Upper/lower No data available

flammability or explosive limits

temperature

h) Flash point Not applicablei) Autoignition does not ignite

j) Decomposition ca. 500 °C temperature

SIGALD- P2588 Page 7 of 14



k) pH 3,5 - 5,0 at 29,4 g/l at 25 °C

I) Viscosity Viscosity, kinematic: No data available

Viscosity, dynamic: No data available

m) Water solubility ca.29,4 g/l at 20 °C

n) Partition coefficient: Not applicable for inorganic substances

n-octanol/water

o) Vapor pressure Not applicable

p) Density ca.2,680 g/cm3 at 20 °C - OECD Test Guideline 109

Relative density ca.2,7 at 20 °C - OECD Test Guideline 109

q) Relative vapor

density

r) Particle No data available

characteristics

s) Explosive properties Not classified as explosive.

t) Oxidizing properties The substance or mixture is classified as oxidizing with the

category 2.

### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No data available

# 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

#### 10.3 Possibility of hazardous reactions

Risk of explosion with:

Iron

magnesium

hydrazine and derivatives

hydroxylamine

ammonium nitrate

Boron

Acetic anhydride

oxidisable substances

Reducing agents

sulfuric acid

silicon

Exothermic reaction with:

anhydrides

phosphides

Sulfides

nitrides

Fluorine

Risk of ignition or formation of inflammable gases or vapours with:

organic combustible substances

SIGALD- P2588 Page 8 of 14

glycerol
Powdered metals
hydrides
alkali compounds
Acetone
with
sulfuric acid

Generates dangerous gases or fumes in contact with:

hydrochloric acid

#### 10.4 Conditions to avoid

no information available

## 10.5 Incompatible materials

No data available

# 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### **Acute toxicity**

LD50 Oral - Rat - female - 90,5 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 90,5 mg/kg (ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - female - 4 h - 0,083 mg/l - dust/mist

(OECD Test Guideline 403)

Acute toxicity estimate Inhalation - 0,083 mg/l - dust/mist

(ATE value derived from LD50/LC50 value)

Acute toxicity estimate Dermal - 1.100 mg/kg

(Expert judgment)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Skin corrosion/irritation

Skin - Rabbit

Result: Causes burns. - 4 h (OECD Test Guideline 404)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Respiratory or skin sensitization

Patch test: - Human Result: positive

May cause an allergic skin reaction.

Remarks: (IUCLID)

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Germ cell mutagenicity

SIGALD- P2588 Page 9 of 14

May cause genetic defects.

### Carcinogenicity

Presumed to have carcinogenic potential for humans

### **Reproductive toxicity**

May damage the unborn child.

May damage fertility.

# Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system

# Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure.

- Cardio-vascular system

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Aspiration hazard**

No data available

#### 11.2 Additional Information

### **Endocrine disrupting properties**

#### **Product:**

Assessment The substance/mixture does not contain

components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

RTECS: HX7680000

Ulceration, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxicity to fish LC50 - Danio rerio (zebra fish) - 58,5 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia

and other aquatic invertebrates

tic Remarks: (ECHA)

Toxicity to algae

static test ErC50 - Selenastrum capricornutum (green algae) - 0,233

EC50 - Daphnia magna (Water flea) - 0,035 mg/l - 48 h

mg/l - 72 h Remarks: (ECHA)

Toxicity to bacteria IC50 - activated sludge - 30 mg/l - 3 h

Remarks: (in analogy to similar products)

(ECHA)

Toxicity to NOEC - Pimephales promelas (fathead minnow) - 1,1 mg/l - 7 d

SIGALD- P2588 Page 10 of 14



fish(Chronic toxicity) Remarks: (ECHA)

Toxicity to daphnia NOEC - Daphnia magna (Water flea) - 18 mg/l - 21 d

and other aquatic Remarks: (ECHA)

invertebrates(Chronic toxicity)

## 12.2 Persistence and degradability

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 180 d

- 200 μg/l(potassium dichromate)

Bioconcentration factor (BCF): 17,4

### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# 12.6 Endocrine disrupting properties

## **Product:**

Assessment : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

No data available

#### **SECTION 14: Transport information**

## 14.1 UN number

ADR/RID: 3087 IMDG: 3087 IATA: 3087

## 14.2 UN proper shipping name

ADR/RID: (potassium dichromate)

IMDG: OXIDIZING SOLID, TOXIC, N.O.S. (potassium dichromate)

IATA: Oxidizing solid, toxic, n.o.s. (potassium dichromate)

SIGALD- P2588 Page 11 of 14



14.3 Transport hazard class(es)

ADR/RID: 5.1 (6.1) IMDG: 5.1 (6.1) IATA: 5.1 (6.1)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Tunnel restriction code : (E)

Further information : No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, : potassium dichromate placing on the market and use of certain

dangerous substances, mixtures and articles (Annex XVII)

REACH - Restrictions on the manufacture, : potassium dichromate

placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

REACH - Restrictions on the manufacture, : potassium dichromate

placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

REACH - Restrictions on the manufacture, : potassium dichromate

placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

REACH - Restrictions on the manufacture, : potassium dichromate

placing on the market and use of certain dangerous substances, mixtures and articles

(Annex XVII)

REACH - Candidate List of Substances of Very : potassium dichromate

High Concern for Authorisation (Article 59).

This product contains a substance listed on Annex XIV of the REACH Regulation (EC) Nr.

1907/2006.

Listed substance / Sunset Date : potassium dichromate /

21.09.2017

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

**National legislation** 

Seveso III: Directive 2012/18/EU of the H2 ACUTE TOXIC

SIGALD- P2588 Page 12 of 14



European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P8	OXIDISING LIQUIDS AND SOLIDS
E1	ENVIRONMENTAL HAZARDS
H2	ACUTE TOXIC
P8	OXIDISING LIQUIDS AND SOLIDS
E1	ENVIRONMENTAL HAZARDS

## Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H272 H301	May intensify fire; oxidizer. Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H350	May cause cancer.
H360FD	May damage fertility. May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

SIGALD- P2588 Page 13 of 14



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

SIGALD- P2588 Page 14 of 14



The life science business of Merck operates as MilliporeSigma in the US and Canada